Mon. Not. R. Astron. Soc. **000**, 1–22 (0000) Printed 9 November 2015 (MN LATEX style file v2.2)

Characterizing star cluster formation with WISE: 652 newly found star clusters and candidates

D. Camargo[1], E. Bica[2], and C. Bonatto[2]
[1] *Colégio Militar de Porto Alegre, Ministério da Defesa - Exército Brasileiro, Av. José Bonifácio 363 Porto Alegre 90040-130, RS, Brazil*
[2] *Departamento de Astronomia, Universidade Federal do Rio Grande do Sul, Av. Bento Gonçalves 9500 Porto Alegre 91501-970, RS, Brazil*

arXiv:1511.01978v1 [astro-ph.GA] 6 Nov 2015

9 November 2015

ABSTRACT
We report the discovery of 652 star clusters, stellar groups and candidates in the Milky Way with WISE. Most of the objects are projected close to Galactic Plane and are embedded clusters. The present sample complements a similar study (Paper I) which provided 437 star clusters and alike. We find evidence that star formation processes span a wide range of sizes, from populous dense clusters to small compact embedded ones, sparse stellar groups or in relative isolation. The present list indicates multiple stellar generations during the embedded phase, with giant molecular clouds collapsing into several clumps composing an embedded cluster aggregate. We investigate the field star decontaminated Colour Magnitude Diagrams and Radial Density Profiles of 9 cluster candidates in the list, and derive their parameters, confirming them as embedded clusters.

Key words: (*Galaxy*:) open clusters and associations:general; *Galaxy*: disc; *Galaxy*: structure; *Galaxy*: catalogues;

1 INTRODUCTION

Star cluster formation is a complex process, which is not yet completely understood. These systems are formed within giant molecular clouds (GMCs) that populate the Galactic disc, mainly the spiral arms in an early evolutionary stage. They are known as embedded clusters (ECs) and/or embedded stellar groups (EGrs). The molecular clouds, in which ECs are formed often present filamentary structures (Gutermuth et al. 2009; Myers 2009; Camargo et al. 2012) that also may be the site of small EGr formation (Bastian 2011; Camargo et al. 2012; Kruijssen et al. 2012).

Thus, ECs are fundamental tools to improve our understanding of star formation and evolution as well as the Galactic structures that trace the spiral pattern (Camargo et al. 2013, 2015c). These objects also play important roles in both local and large scale star formation clarifying the physical processes involved in the individual and Galactic scale of GMCs.

Given the importance of embedded clusters as tools to study the Galactic structure, several surveys have been recently carried out (Bica et al. 2003a,b; Lada & Lada 2003; Bica & Bonatto 2005; Borissova et al. 2011; Majaess 2013; Borissova et al. 2014; Camargo et al. 2015a), together with a detailed analysis of their properties (e.g. Camargo et al. 2010, 2011, 2012, 2013).

These surveys suggest that most stars form in clumped environments, with scales ranging from small stellar groups to massive clusters or large associations (Cotera et al. 1999; Motte & André 2001; Mauerhan et al. 2010; Kirk & Myers 2012; Oskinova et al. 2013; Habibi et al. 2014). Infrared surveys, such as the Two Micron All Sky Survey (2MASS), Spitzer, and WISE are uncovering deep embedded clusters and embedded stellar groups in the Galaxy.

Despite advances in our understanding of star cluster formation and their early evolution, there is no consensus on the definition of an embedded cluster. There is evidence that in the early evolutionary stages some embedded clusters may contain less than $\sim$ 10 stars and radii of about 0.2 pc (Testi et al. 1997; Massi et al. 2006; Rodríguez-González et al. 2008; Alexander & Kobulnicky 2012). In this sense, Hodapp (1994) define clusters as groups of five or more stars. Adams & Myers (2001) classify as stellar groups systems with 10 to 100 stars, and the most populous ones as clusters. Lada & Lada (2003) suggest that at least 35 stars and stellar mass density of about $1 M_{\odot}/pc^{-3}$ (Bok 1934; Spitzer 1958) are required for an EC to survive the tidal disruption by the Galaxy, GMC collisions, and the gas expulsion as a bound system. However, as they suggest that most ECs do not survive the *infant mortality*, this criterion is only a lower limit for ECs to survive the gas expulsion to become an open cluster. This is not a criterion for EC classifications, on the contrary, it shows that most ECs



Figure 1. WISE ($10' \times 10'$) RGB images centred on the embedded clusters C 791, C 788, C 860, C 514, C 530, and C 941.

are below this limit since they argue that more than 95% of them are dissolved before 100 Myr.

The present work deals with new discoveries of star clusters, mostly ECs with WISE and analyses of their properties, following the series of recent papers Camargo et al. (2015a,b,c), hereafter Papers I, II and III, respectively.

The paper is organized as follows. In Sect. 2 we present the search procedure and the newly found clusters. In Sect. 3 we analyse a subsample of the discovered clusters using 2MASS photometry. We also describe the methods employed in the cluster analyses. They employ Colour-magnitude Diagrams (CMDs) and Radial Density Profiles (RDP). Sect. 4 is dedicated to the discussion of the results. Finally, in Sect. 5 we provide the concluding remarks.

2 PRESENT WORK DISCOVERIES

We recently reported the discovery of 446 star clusters, stellar groups and candidates, mostly projected on the Galactic disk. They were designated Camargo 1 (C 1) to C 446, in a series of analyses: *(i)* In Paper I we presented the first large list: C 1 to C 437. *(ii)* In Paper II we analysed C 438 and C 439, two rare high Galactic latitude embedded clusters that were formed in the halo. *(iii)* In Paper III we provided the ECs C 440 to C 446, in a study of Spiral Arm tracers.

The present paper discoveries of star clusters and alike are designated C 447 to C 1098, thus amounting to 652 new entries (Table 1).

Our initial sample in the present study consisted of 862 objects that we detected on the WISE multi-band Atlas, along the four Galactic quadrants, in general for $|b| < 30°$. The subsequent analyses indicated that 212 had already been reported in the literature, or were discarded owing to miscellaneous reasons for a few of them, like probable planetary nebulae or spurious objects when inspected in detail. Thus, 75% of the initial sample were considered to be new star clusters, EGrs or candidates, and were included in the present catalogue. We list in Table 1 38 entries that are shown as examples or discusssed in more detail throughout the present paper. The complete Table 1 will be available in the online version.

In Figs. 1 to 5 are shown examples of the discovered clusters and alike. All objects were found by means of visual inspections on WISE (Wright et al. 2010), utilizing image services at NASA/IPAC or Aladin. The W1 (3.4μm) and W2 (4.6μm) bands are more sensitive to the stellar and PMS content, while in W3 (12μm) and W4 (22μm) extended structures arise mostly from dust emission.

We started out by looking for dust emission nebulae on WISE, followed by a search for stellar overdensities within them. We cross-correlated our objects with previous catalogues or lists (Acker et al. 1992; Bica et al. 2003a,b; Dutra et al. 2003; Bica & Bonatto 2005; Kharchenko et al. 2005a,b; Mercer et al. 2005; Kronberger et al. 2006;

Table 1. List of newly found star clusters and candidates.

Target	ℓ	b	α(2000)	δ(2000)	Size	Type	Comments
	(°)	(°)	(h m s)	(° ′ ″)	(′)		
C 514	56.15	0.08	19:35:25	20:34:49	3.5×3.5	EC	impressive dusty core
C 530	58.77	0.65	19:38:48	23:08:31	6×6	EC	impressive, dusty core, include bubble
C 532	58.95	1.39	19:36:22	23:39:46	5×5	EGr	protocluster?
C 578	64.38	-0.34	19:55:07	27:29:35	6×6	EGr	include IR Dark and IR Bright Nebula
C 582	64.96	-0.04	19:55:17	28:08:47	3×3	OCC	
C 649	119.72	1.68	0:21:42	64:21:58	6×4	EC	prominent, in pair with King 1
C 700	127.02	0.76	1:28:00	63:20:42	4×3	ECC	
C 716	131.45	-1.16	2:01:31	60:32:42	6×6	EC	prominent
C 741	134.02	0.40	2:25:39	61:13:33	6×6	EC	small dusty stellar core
C 758	135.35	0.94	2:37:33	61:13:21	5×5	ECC	dusty, poor, protocluster?
C 769	136.38	0.68	2:44:24	60:34:16	6×6	EC	small stellar core
C 788	139.96	2.59	3:17:28	60:32:24	6×6	EC	dusty core
C 789	140.05	1.91	3:15:11	59:54:44	5×5	EC	prominent
C 791	140.21	2.54	3:18:57	60:22:03	6×6	EC	small dusty and stellar core
C 793	140.22	2.16	3:17:23	60:02:07	7×7	EC	prominent
C 836	150.05	3.07	4:18:50	54:37:59	6×6	OC	
C 838	150.11	0.73	4:08:14	52:53:42	6×6	EC	impressive stellar dominated core
C 853	151.63	-1.10	4:07:32	50:30:48	6×6	EC	impressive, dusty stellar core
C 860	151.97	-1.97	4:05:27	49:38:23	5×5	EC	impressive dusty core
C 911	172.07	2.32	5:34:56	36:53:22	5×5	EC	stellar core
C 914	172.73	2.49	5:37:24	36:25:28	5×5	EC	
C 915	172.76	2.10	5:35:53	36:10:23	5×5	EC	
C 916	172.77	2.37	5:37:02	36:19:33	5×5	EC	stellar core
C 919	173.01	2.38	5:37:40	36:07:44	4×4	EC	chain of stars
C 921	173.16	2.56	5:38:51	36:06:09	4×4	EC	
C 925	173.33	2.37	5:38:30	35:50:46	5×5	EC	
C 935	189.03	2.91	6:16:43	22:32:15	7×4	EC	substructured, in L dust emission arc
C 936	189.18	2.87	6:16:54	22:22:58	9×9	EC	substructured, in L dust emission arc
C 937	189.25	3.16	6:18:07	22:27:39	8×5	EC	substructured, in L dust emission arc
C 938	189.29	3.02	6:17:42	22:21:30	6×3	EC	in large dust emission arc
C 941	191.51	-0.60	6:08:39	18:40:27	5×5	EC	impressive
C 943	191.97	0.97	6:15:25	19:01:40	2.5×2.5	EC	not FSR 909
C 978	197.14	-3.10	6:10:50	12:32:45	6×6	EC	prominent
C 985	236.59	-2.30	7:27:58	-22:02:03	6×6	EC	impressive
C 1008	238.43	-4.12	7:24:44	-24:30:45	7×7	EC	in group
C 1009	238.47	-4.17	7:24:40	-24:34:24	4×3.5	EC	in group
C 1043	244.92	-7.20	7:26:04	-31:39:24	6×6	EC	impressive
C 1086	249.24	-5.06	7:44:49	-34:24:40	6×6	EC	impressive, stellar compact core, shock

Table Notes. Cols. 2 – 3: Central coordinates. Cols. 4 – 5: Corresponding Galactic coordinates. The full table is available online.

Froebrich, Scholz & Raftery 2007; Koposov et al. 2008; Glushkova et al. 2010; Borissova et al. 2011; Majaess 2013, and Paper I). Searches for new star clusters often employ automatic softwares that identify stellar overdensities (e.g. Froebrich, Scholz & Raftery 2007). However, heavily dust-obscured ECs may be missed by an automatic algorithm, especially with 2MASS, since a significant fraction of the stellar content may not be accessible. As a consequence, stellar detections in such deeply embedded clusters may be underestimated with respect to the surrounding field. Following Paper I we tentatively classified the discovered objects in open clusters (OCs), open cluster candidates (OCCs), embedded clusters (ECs), embedded cluster candidates (ECCs), and embedded stellar groups (EGrs). This classification is based on the stellar/dust density estimates on the WISE bands (W1 to W4) and RGB (Red Green and Blue) images (see Paper I). Similar criteria were used in previous works (Hodapp 1994; Bica et al. 2003a; Dutra et al. 2003).

In Figs. 1 and 2 we show a representative sample of newly found objects to exemplify the EC classification. In Fig. 1 the stellar content is more embedded than in Fig. 2, which suggests evolutionary effects. Fig. 1 shows six compact relatively isolated ECs. These objects are small dusty and the stellar core is deeply embedded in their natal nebulae. For instance, C 941, is a very small and poor EC. The structures of ECs in Fig. 2 are dominated by compact cores of stars. In Fig. 3 we show additional objects (Table 1) to



Figure 2. Same as Fig. 1 for the probably more evolved (less embedded) ECs C 1086, C 838, C 769, C 646, C 915, and C 911.

clarify the classification, an OC and an OCC without dust emission, an EC with a prominent core, a poor ECC within a dust nebula, and two EGrs that are less dense than the EC. Figs. 4 and 5 are dedicated to illustrate EC aggregates (Camargo et al. 2011, 2012, Paper III). In the large panel of Fig. 5 we show C 914, C 915, C 916, C 919, C 921, and C 925, together with Sh2-233 SE Cluster, $G173+2.45$ Cluster, SUH 124 and SUH 162 (Solin et al. 2012). These ECs are located in the Eastern half of a large star forming complex, where yet more ECs exist. Likewise, in Fig. 4, we appear to be witnessing the birth of a Cluster Aggregate, however with less members. The emission dust shell suggests that these ECs are coeval. In Fig. 6 we show three interesting closely projected star forming clumps, which may be an example of multiple cluster formation or just a snapshot view of massive cluster evolution. Such environments differ from Cluster Aggregates in the sense that their compact nature would favour more frequent cluster interactions, such as mergers.

Fig. 7 shows the angular distribution of the present sample, as compared to the other large WISE cluster surveys (Majaess 2013, Paper I). A few high Galactic objects are beyond $|b| = 30^{\circ}$ (Table 1), and will be discussed elsewhere.

3 ANALISYS OF A REPRESENTATIVE SAMPLE

We use 2MASS[1] photometry (Skrutskie et al. 2006) in the J, H and K_s bands to analyse the nature of a representative cluster sample. Stars are extracted in circular regions centred in the coordinates of each cluster candidate.

In view of building the intrinsic CMD the observed photometry is submitted to a field-star decontamination procedure, which is described in detail in Bonatto & Bica (2007a,b) and Bica et al. (2008). The fundamental parameters are derived by fitting PARSEC isochrones (Bressan et al. 2012) to the $J \times (J - K_s)$ decontaminated CMDs. The cluster structures are analysed via RDP.

Fig. 8 shows WISE images of six ECs from the representative sample in Table 2 while in Figs. 9, 10, and 11 are shown their decontaminated CMDs and RDPs. In Table 2 we show the derived cluster parameters from the CMD. The clusters are younger than 5 Myr, and some are as young as 1-2 Myr. Distances are in the range $d_{\odot} = 2.8 - 6.0$ kpc. The RDPs are typical of well-studied embedded clusters (e.g. Bonatto & Bica 2009, 2011), showing a central peak and at times radial dips possibly caused by dust absorption or crowding.

[1] The Two Micron All Sky Survey.



Figure 3. WISE ($10' \times 10'$) RGB images centred on C836 (OC), C 582 (OCC), C 985 (EC), C 700 (ECC), C 578 and C532 (EGrs): additional classifications compared to an EC.

4 DISCUSSION

4.1 Relatively Isolated ECs

The ISM consists of a hierarchical structure of gas and dust, from giant molecular cloud complexes to small cores. Since star clusters emerge from these structures we can expect some similarity mainly in the embedded phase. These objects may span a wide range of sizes, from small and compact ECs with sizes of $\sim$ 1 pc to centrally concentrated massive clusters with sizes of $\sim$ 10 pc - from relatively isolated ECs to large aggregates.

Subsequent early stages of isolated EC formation are seen in Figs. 1 and 2, respectively. Isolated small ECs appear to be relatively common in the Galaxy (Camargo et al. 2011, Papers I and III). Some of the new findings (e.g. C 514 and C 530 in Fig. 1) show clear evidence of ongoing star formation.

4.2 Composite ECs

Figs. 4 and 5 show dust complexes where new ECs are born together, forming EC aggregates. Embedded cluster aggregates are groups of clusters close to each other, formed together after the gravitational collapse and fragmentation of a GMC or a complex of them. Recently, we reported in Paper III an EC aggregate formed by 7 ECs with similar age in the Perseus arm. We suggested that an entire GMC or a cloud complex may fragment almost simultaneously generating EC aggregates. Spiral arms may play an important role in the large-scale structure triggering sequential EC formation by shock compression of large molecular cloud complexes (de la Fuente Marcos & de la Fuente Marcos 2008; Camargo et al. 2011, 2012). EC aggregates are also reported in Camargo et al. (2011, 2013).

The shell configuration of dust and the stellar content in Fig. 4 point to a sequential EC formation via a *collect and collapse* event (Camargo et al. 2011). In the classical *collect and collapse* scenario (Elmegreen & Lada 1977; Whitworth et al. 1994) an HII region expands, excited by winds from OB stars, collecting the surrounding material that becomes unstable, and the collapse triggers a sequential star formation. A non-symmetric expanding shell generated by multiple excitation sources or interactions with the surrounding environment may favour the agglutination of neutral material forming dense clumps that are cluster progenitors. The distribution of B stars in Fig. 4 possibly created winds that accumulated material in multiple clumps of dust in the surroundings. On the contrary, other B stars may have have ejected primordial gas from an early cluster, stopping the process of star formation. In addition to runaway massive stars, part of the Galactic isolated OB field stars may be related to such failed clusters. If, on one hand, OB type stars may disrupt completely an EC during the primordial gas expulsion, on the other hand, they may form a second-generation of ECs via sequential cluster formation.



Figure 4. Shell with C 935, C 936, C 937, and C 938: formation of a cluster aggregate. Top right: blowup of C 935. Bottom right: blowup of C 938. Circles indicate OB stars from SIMBAD.

Fig. 6 shows multiple closely packed stellar clumps with ongoing star formation. These structures appear to be common in the Galaxy (Camargo et al. 2011, 2012, 2015a, Paper I). Often these types of cluster-forming regions are considered as a single cluster with fractal structure or sub-clusters. On the other hand, in the early evolutionary stages several Galactic isolated ECs present structure with sizes of $\sim$ 1 pc (Testi et al. 1997; Bica et al. 2003a; Lada & Lada 2003; Motte et al. 2003; Adams et al. 2006; Rodríguez-González et al. 2008; Gutermuth et al. 2009; Higuchi et al. 2009; Piatti et al. 2010; Camargo et al. 2011; Myers 2011; Alexander & Kobulnicky 2012, and Paper I), similar to those shown in Figs. 1 and 2. Compact ECs like C 941 (Fig. 1) also appear to be relatively common in the Galaxy. Therefore, the possibility that massive clusters form by merger of several close ECs can not be ruled out. The fact of considering such systems as isolated clusters with fractal structure or compact EC aggregates probably will not change their final fate, since both scenarios possibly will lead to a single cluster. However, since in the merging process the ECs do not dissolve, the *infant mortality* may not be as significant as proposed in previous works. As Lada & Lada (2003) argue that the number of ECs exceeds the number of OCs observed by over an order of magnitude, a high *infant-mortality* rate is assumed for ECs.

Nevertheless, since the merging possibility in the early formation is not considered, the EC dissolution rate may be overestimated. Fellhauer & Kroupa (2005b) pointed out that within dense aggregates some clusters may merge before the gas expulsion greatly increasing their survival probability. Thus, EC aggregates may be sites of massive cluster formation by merger (Bastian et al. 2005; Fellhauer & Kroupa 2005a, and references therein). Walker et al. (2015) argue that young massive cluster formation may proceed hierarchically rather than through monolithic collapse, with mass becoming more centrally concentrated as the cluster evolves. In this hierarchical merging scenario, small and dense ECs merge to form larger systems leading to a single centrally concentrated cluster (Camargo et al. 2011, 2012; Fujii et al. 2012). In addition, the massive cluster formation by merge explain the excessive age spread for embedded clusters. To conclude, we call attention to the possible environmental conditions where such cluster dynamical evolutionary scenarios may occur more or less frequently, from closely packed ECs (Fig. 6), poorly populated coeval aggregates (Fig. 4) to rich aggregates of ECs in large dust complexes (Fig. 5).

5 CONCLUDING REMARKS

We communicate the discovery of 652 star clusters and stellar groups using WISE. They were found by one of us (D.C.) and are designated Camargo 447 (C 447) to C 1068. The



Figure 5. Left panel ($2^\circ \times 2^\circ$): dust cloud forming Cluster Aggregate: C 914, C 915, C 916, C 919, C 921, C 925, Sh2-233 SE Cluster, $G173 + 2.45$ Cluster, SUH 124 and SUH 162. Top right: blowup of C 916 ($10' \times 10'$), Bottom right: blowup of C 925 ($10' \times 10'$).



Figure 6. WISE ($15' \times 15'$) RGB image of close multiple clusters C 1008, C 1009 and DBSB 11.

present list is a followup of the 446 previous discoveries in Papers I, II and III. In general the newly found clusters are ECs or EGrs. These objects have probably been neglected in the past, because of the difficulty in detecting them, especially with 2MASS. WISE has finally revealed them, in particular in Majaess (2013), Paper I, and the present study. Heavily dust-obscured embedded objects may be more easily detected by visual inspections on the WISE Atlas than by automatic searches of stellar overdensities. The notion that most stars form in massive clusters may also have contributed to that bias. The initial search resulted in 864 objects, but 212 were discarded because they were already reported in the literature, or for reasons like probable planetary nebulae, or spurious objects. Thus, 75% of our initial sample was considered to be new star clusters, stellar groups or candidates.

The discovered embedded clusters provide new insights on star cluster formation and their early evolution. We point out that several isolated ECs are compact when compared to classical OCs, with sizes comparable to subclusters or fractals in objects often considered as substructured clusters. On the other hand, some molecular clouds or dust complexes present multiple cluster formation, mainly in filamentary structures. At large scales these structures probably form EC aggregates (e.g. Figs. 4 and 5). In small scales they may merge forming a populous (massive) single cluster.



Figure 7. Large cluster surveys with WISE: Galactic distribution of the present star clusters and candidates (red points). Comparison with the samples from Paper I - black points, and Majaess (2013) - brown points. Objects with $|b| < 30°$ are shown.

Table 2. Derived fundamental parameters for confirmed star clusters in the present study.

Cluster	phase	α(2000)	δ(2000)	$E(J-H)$	Age	$d_\odot$	R_{GC}	x_{GC}	y_{GC}	z_{GC}
		(h m s)	(° ′ ″)	(mag)	(Myr)	(kpc)	(kpc)	(kpc)	(kpc)	(pc)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
C 716	EC	2:01:31	60:32:42	0.50 ± 0.03	2 ± 1	3.1 ± 0.4	9.5 ± 0.3	-9.26 ± 0.29	2.31 ± 0.33	-62.39 ± 8.92
C 741	EC	2:25:39	61:13:33	0.44 ± 0.03	2 ± 1	2.8 ± 0.4	9.4 ± 0.3	-9.14 ± 0.27	1.99 ± 0.28	19.29 ± 2.76
C 758	EC	2:37:33	61:13:21	0.32 ± 0.01	1 ± 0.5	5.1 ± 0.7	8.7 ± 0.4	-7.04 ± 0.02	0.97 ± 0.13	-4.99 ± 0.69
C 789	EC	3:15:11	59:54:44	0.27 ± 0.02	3 ± 1	3.1 ± 0.3	9.8 ± 0.2	-9.61 ± 0.23	2.00 ± 0.19	103.84 ± 9.90
C 793	EC	3:17:23	60:02:07	0.26 ± 0.03	4 ± 1.5	3.0 ± 0.4	9.7 ± 0.3	-9.53 ± 0.33	1.93 ± 0.28	113.55 ± 16.24
C 853	EC	4:07:32	50:30:48	0.39 ± 0.03	2 ± 1	3.2 ± 0.5	10.2 ± 0.4	-10.06 ± 0.41	1.53 ± 0.22	-61.90 ± 8.85
C 943	EC	6:15:25	19:01:40	0.22 ± 0.03	3 ± 2	2.9 ± 0.4	10.1 ± 0.4	-10.05 ± 0.40	-0.60 ± 0.09	48.90 ± 6.99
C 978	EC	6:10:50	12:32:45	0.20 ± 0.03	3 ± 1	3.7 ± 0.5	10.8 ± 0.5	-10.78 ± 0.5	-1.10 ± 0.16	-201.62 ± 28.83
C 1043	EC	7:26:04	-31:39:24	0.15 ± 0.02	4 ± 2	6.0 ± 0.8	11.2 ± 0.5	-9.75 ± 0.4	-5.40 ± 0.76	-752.84 ± 105.58

Table Notes. Col. 2: evolutionary phase - EC means embedded cluster; Col. 3 and 4: Central coordinates; Col. 5: $E(J-H)$ in the cluster central region. Col. 6: age, from 2MASS photometry. Col. 7: distance from the Sun. Col. 8: R_{GC} calculated using $R_\odot = 7.2$ kpc for the distance of the Sun to the Galactic centre (Bica et al. 2006). Cols. 9 - 11: Galactocentric components.



Figure 8. WISE ($10' \times 10'$) RGB images centred on the EC C 943, C 1043, C 716, C 978, C 741, and C 793, used in CMD and RDP analyses (Sect. 3).

The newly found ECs C 1008, C 1009, together with DBSB 11 (Fig. 6) may have this fate. In this particular viewpoint, some substructured clusters may be only a snapshot view of a merging event. This scenario suggests that there is a continuum of star-forming environments from populous dense clusters to small ECs in relative isolation, such as C 941. Turbulent GMCs typically develop filamentary structures, which appear to be naturally hierarchical.

We analysed the nature of a representative subsample of 9 clusters (Sect. 3), using 2MASS field decontaminated CMDs and RDPs. The inspection of the WISE images (Fig. 8) and 2MASS decontaminated CMDs (Figs. 9 and 10) confirms them as ECs. Since they are younger than 5 Myr (Table 2), their RDPs behave like those of many other ECs so far studied with the same method (e.g. Bonatto & Bica 2009). They are centrally concentrated, and have dips owing to dust absorption or crowding. From their ages they are not expected to follow a King profile, and they do not.

The distribution in Galactic coordinates of the present sample (Fig. 7) shows how loci throughout the disc are becoming explored with WISE, as a consequence of Majaess (2013), Paper I, and the present study. However, the plot also points out guiding lines for future searches.

Acknowledgements: We thank Dr. B. Twarog for constructive comments and suggestions. This publication makes use of data products from the Two Micron All Sky Survey (2MASS) and Wide-field Infrared Survey Explorer (WISE). The 2MASS is a joint project of the University of Massachusetts and the Infrared Processing and Analysis Centre/California Institute of Technology, funded by the National Aeronautics and Space Administration and the National Science Foundation. WISE is managed and operated by NASA's Jet Propulsion Laboratory (JPL) in Pasadena, California and is a project of the JPL/California Institute of Technology, funded by the National Aeronautics and Space Administration. The spacecraft scanned the entire sky twice. E. Bica and C. Bonatto acknowledge support from CNPq (Brazil).

REFERENCES

Acker, A., Ochsenbein, F., Stenholm, B., et al. 1992, ESO-Strasbourg Catalogue of Galactic Planetary Nebulae, Munich (ESO)
Adams, F. C, Myers, P. 2001, ApJ, 553, 744
Adams, F. C., Proszkow, E. M., Fatuzzo, M., & Myers, P. C. 2006, ApJ, 641, 504
Alexander, M. J. & Kobulnicky, H. A. 2012, ApJ, 755, 30
Bok, B. J. 1934, Harv. Coll. Obs. Circ., 384, 1
Bressan, A., Marigo, P., Girardi, L., Salasnich, B., Dal



Figure 9. 2MASS CMDs extracted from the $R = 2'$ of C 943. *Top panels*: observed CMDs $J \times (J - H)$ and $J \times (J - K_s)$. *Middle panels*: equal area comparison field. *Bottom panels*: field star decontaminated CMDs fitted with MS and PMS PARSEC isochrones. We show the reddening vector for $A_V = 0$ to 5.



Figure 10. 2MASS $J \times (J - K_s)$ field star decontaminated Colour-magnitude Diagrams (CMDs) for the clusters in Table 2. CMDs are fitted with MS and PMS PARSEC isochrones. We show the reddening vector for $A_V = 0$ to 5.

Cero, C., Rubele, S., & Nanni, A. 2012, MNRAS, 427, 127

Bastian, N., Gieles, M., Efremov, Y. N., & Lamers, H. J. G. L. M. 2005, A&A, 443, 79

Bastian, N. 2011, arXiv1107.2140

Bica, E., Dutra, C. M., & Barbuy, B. 2003a, A&A, 397, 177

Bica, E., Dutra, C.M, Soares, J., Barbuy, B. 2003b, A&A, 404, 223

Bica, E., Bonatto, C. 2005, A&A, 443, 465

Bica, E., Bonatto, C., Barbuy, B. & Ortolani, S. 2006, A&A, 450, 105

Bica, E., Bonatto, C. & Camargo, D. 2008, MNRAS, 385, 349

Bonatto C. & Bica E. 2007a, A&A, 473, 445

Bonatto C. & Bica E. 2007b, MNRAS, 477, 1301

Bonatto, C.; Bica, E. 2009, MNRAS, 394, 2127

Bonatto C. & Bica E. 2011, A&A, 530, 32

Borissova, J., Bonatto, C., Kurtev, R., Clarke, J. R. A., Peñaloza, F., Sale, S. E., Minniti, D., Alonso-García, J., 2011, A&A, 532, 131

Borissova, J., Chené, A.-N., Ramírez Alegría, S., Sharma, S., Clarke, J. R. A., Kurtev, R., Negueruela, I., Marco, A., Amigo, P. et al., 2014, A&A, 569, 24

Camargo, D., Bonatto, C. & Bica, E. 2009, A&A, 508, 211

Camargo, D., Bonatto, C. & Bica, E. 2010, A&A, 521, 42

Camargo, D., Bonatto, C. & Bica, E. 2011, MNRAS, 416, 1522

Camargo, D., Bonatto, C. & Bica, E. 2012, MNRAS, 423, 1940

Camargo, D., Bica, E. & Bonatto, C. 2013, MNRAS, 432, 3349

Camargo, D., Bica, E. & Bonatto, C. 2015a, NewA, 34, 84

Camargo, D., Bica, E., Bonatto, C. & Salerno, G. 2015b, MNRAS, 448, 1930

Camargo, D., Bonatto, C. & Bica, E. 2015c, MNRAS, 450, 4150

Cotera, A. S., Simpson, J. P., Erickson, E. F., Colgan, S. W. J., Burton, M. G. & Allen, D. A. 1999, ApJ, 510, 747

de la Fuente Marcos, R., & de la Fuente Marcos, C., 2008, ApJ, 672, 342

Dutra, C.M., Bica, E., Soares, J., Barbuy, B. 2003, A&A,



Figure 11. Radial Density Profiles (RDPs) for embedded clusters in Table 2.

400, 533
Elmegreen B. G. & Lada C. J., 1977, ApJ, 214, 725
Fellhauer, M. & Kroupa, P. 2005a, MNRAS, 359, 223
Fellhauer, M. & Kroupa, P., 2005b, ApJ, 630, 879
Froebrich, D., Scholz, A., & Raftery, C. L.2007, MNRAS, 374, 399
Fujii M. S., Saitoh T. R., Portegies Zwart S. F., 2012, ApJ, 753, 85
Glushkova, E. V., Koposov, S. E., Zolotukhin, I. Y., Beletsky, Y. V., Vlasov, A. D. & Leonova, S. I., 2010, Ast. Letters, 36, 75
Gutermuth, R. A., Megeath, S. T., Myers, P. C., et al. 2009, ApJS, 184, 18
Habibi, M., Stolte, A. & Harfst, S. 2014, A&A, 566, 6
Hodapp, K.-W. 1994, ApJS, 94, 615
Higuchi, A. E., Kurono, Y., Saito, M. & Kawabe, R. 2009, ApJ, 705, 468
Kharchenko, N.V., Piskunov, A.E. Röser, S., Schilbach, E. & Scholz, R.-D. 2005a, A&A, 438, 1163
Kharchenko, N.V., Piskunov, A.E. Röser, S., Schilbach, E. & Scholz, R.-D. 2005b, A&A, 440, 403
King, I. 1962, AJ, 67, 471
Kirk, H. & Myers, P. C. 2012, ApJ, 745, 131
Koposov, S. E., Glushkova, E. V. & Zolotukhin, I.Yu. 2008, A&A, 486, 771
Kronberger, M., Teutsch, P., Alessi, B., Steine, M., Ferrero, L., Graczewski, K., Juchert, M., Patchick, D., et al., 2006, A&A, 447, 921
Kruijssen, J. M. D., Maschberger, T., Moeckel, N., Clarke, C. J., Bastian, N. & Bonnell, I. A. 2012, MNRAS, 419, 841
Lada, C.J. & Lada, E.A. 2003, ARA&A, 41, 57
Majaess, D. 2013 Ap&SS, 344, 175
Massi, F., Testi, L. & Vanzi, L. 2006, A&A, 448, 1007
Mauerhan, J. C., Cotera, A., Dong, H., Morris, M. R., Wang, Q. D., Stolovy, S. R., Lang, C. 2010, ApJ, 725, 188
Mercer, E. P., Clemens, D. P., Meade, M. R., Babler, B. L., Indebetouw, R., Whitney, B. A., Watson, C., Wolfire, M. G. et al. 2005, ApJ, 635, 560
Motte, F. & André, P. 2001, A&A, 365, 440
Motte, F., Schilke, P. & Lis, D. C. 2003, ApJ, 582, 277
Myers, P. C., 2009, ApJ, 700, 1609
Myers, P. C., 2011, ApJ, 735, 82
Oskinova, L. M., Steinke, M., Hamann, W.-R., Sander, A., Todt, H. & Liermann, A. 2013, MNRAS, 436, 3357
Piatti, A. E., Clariá, J. J. & Ahumada, A. V., 2010, PASP, 122, 516
Rodríguez-González, A., Esquivel, A., Raga, A. C. & Cantó, J. 2008, ApJ, 684, 1384
Skrutskie, M.F. et al. 2006, AJ, 131, 1163
Solin, O., Ukkonen, E., Haikala, L. 2012, A&A, 542, 3
Spitzer, L. 1958, ApJ, 127, 17
Testi, L., Palla, F., Prusti, T., Natta, A. & Maltagliati, S. 1997, A&A, 320, 159
Walker, D. L., Longmore, S. N., Bastian, N., Kruijssen, J. M. D., Rathborne, J. M., Jackson, J. M., Foster, J. B. & Contreras, Y., 2015, MNRAS, 449, 715W
Whitworth A. P., Bhattal A. S., Chapman S. J., Disney M. J., Turner J. A., 1994, MNRAS, 268, 291
Wright, E. L., Eisenhardt, P. R. M., Mainzer, A. K. et al. 2010, AJ, 140, 1868

APPENDIX A: THE FULL LIST OF NEW STAR CLUSTERS AND CANDIDATES.

Table A1: The new list of star clusters or candidates.

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 447	0.07	-0.22	17:46:39	-28:59:51	1.5 × 1.5	EC	
Camargo 448	0.12	-2.67	17:56:26	-30:11:51	0.7 × 0.7	ECC	
Camargo 449	0.09	0.80	17:42:45	-28:26:24	3.5 × 3.5	EC	
Camargo 450	0.17	-1.31	17:51:11	-29:28:14	3 × 3	ECC	
Camargo 451	0.26	0.75	17:43:20	-28:19:26	2.5 × 2.5	OC	
Camargo 452	0.46	0.86	17:43:22	-28:05:47	0.8 × 0.8	ECC	
Camargo 453	0.47	0.40	17:45:12	-28:19:33	1 × 1	EC	
Camargo 454	0.53	0.18	17:46:10	-28:23:27	6 × 6	ECC	impressive protocluster
Camargo 455	0.54	-0.08	17:47:13	-28:31:17	1 × 1	EC	
Camargo 456	0.58	0.47	17:45:10	-28:11:58	0.9 × 0.9	ECC	
Camargo 457	1.15	-1.92	17:55:51	-28:55:52	2 × 2	ECC	
Camargo 458	1.19	-1.86	17:55:41	-28:52:02	5 × 5	EC	
Camargo 459	1.32	0.15	17:48:10	-27:43:37	2 × 2	ECC	
Camargo 460	1.51	-1.81	17:56:14	-28:33:33	7 × 7	ECC	
Camargo 461	1.60	-2.48	17:59:06	-28:49:08	2 × 2	ECC	include bright dusty star
Camargo 462	1.63	0.20	17:48:41	-27:26:02	5 × 5	EC	
Camargo 463	1.74	-1.46	17:55:22	-28:11:32	9 × 9	EC	impressive
Camargo 464	1.88	-1.33	17:55:13	-28:00:19	6 × 6	EC	
Camargo 465	1.94	-1.49	17:55:58	-28:01:50	3 × 3	EC	
Camargo 466	2.42	0.70	17:48:35	-26:30:02	7 × 7	ECC	
Camargo 467	3.35	-0.08	17:53:41	-26:06:12	1.5 × 1.5	ECC	
Camargo 468	3.41	-0.31	17:54:43	-26:09:49	5 × 5	EC	
Camargo 469	3.66	-0.06	17:54:20	-25:49:29	1 × 1	OCC	bright red star in center, dust window?
Camargo 470	3.67	0.20	17:53:21	-25:41:02	7 × 7	ECC	
Camargo 471	5.45	-0.13	17:58:34	-24:18:36	6 × 6	EC	core, impressive
Camargo 472	5.90	0.38	17:57:37	-23:40:03	7 × 7	EC	impressive
Camargo 473	6.09	-0.11	17:59:54	-23:45:03	4 × 4	EC	deeply embedded
Camargo 474	6.11	-0.14	18:00:03	-23:44:47	6 × 6	EC	
Camargo 475	6.55	-0.09	18:00:49	-23:20:22	4 × 3	EC	deeply embedded
Camargo 476	7.47	0.06	18:02:13	-22:27:56	2 × 1.5	EC	deeply embedded
Camargo 477	7.76	0.16	18:02:27	-22:10:08	7 × 7	EC	extended core
Camargo 478	51.06	0.23	19:24:34	16:11:03	7 × 7	EC	shock
Camargo 479	51.61	-0.36	19:27:48	16:23:08	5 × 5	EC	dusty double core
Camargo 480	51.68	-0.26	19:27:35	16:30:07	6 × 6	EC	dusty core, impressive
Camargo 481	51.76	0.79	19:23:53	17:04:07	4 × 4	EC	dusty core, in pair
Camargo 482	51.77	0.73	19:24:08	17:03:03	4 × 4	EC	in pair
Camargo 483	51.82	1.25	19:22:18	17:20:07	4 × 4	EC	substructure in core
Camargo 484	51.82	0.47	19:25:10	16:58:18	1.7 × 1.7	ECC	
Camargo 485	52.20	0.72	19:25:00	17:25:25	1.1 × 1.1	EC	
Camargo 486	52.21	-0.49	19:29:29	16:51:13	7 × 7	EC	
Camargo 487	52.24	-0.14	19:28:15	17:03:09	3.5 × 3.5	ECC	
Camargo 488	52.40	-0.58	19:30:11	16:58:53	4 × 4	EC	dusty core
Camargo 489	52.50	-1.10	19:32:18	16:48:44	2.5 × 2.5	ECC	protocluster? in bubble
Camargo 490	52.50	-0.41	19:29:46	17:08:55	6 × 6	EC	dusty core
Camargo 491	52.52	-0.63	19:30:36	17:03:40	5 × 5	EC	stellar dusty core
Camargo 492	52.54	-0.93	19:31:45	16:55:56	7 × 7	EC	impressive, dusty, structures
Camargo 493	52.66	-1.09	19:32:36	16:57:37	4 × 4	EC	dusty core
Camargo 494	52.89	-0.88	19:32:17	17:15:50	4 × 4	EC	
Camargo 495	52.98	0.01	19:29:12	17:46:01	4 × 4	EC	impressive, compact
Camargo 496	53.00	-0.27	19:30:14	17:39:07	7 × 7	EC	protocluster? in dust cloud
Camargo 497	53.03	0.11	19:28:56	17:51:59	6 × 6	EC	inc substructure
Camargo 498	53.03	0.09	19:28:56	17:52:03	1 × 1	EC	substructure
Camargo 499	53.04	0.16	19:28:45	17:53:19	6 × 6	EC	stellar core
Camargo 500	53.16	-0.25	19:30:31	17:48:25	6 × 6	EC	stellar dusty core
Camargo 501	53.19	0.15	19:29:04	18:01:13	5 × 5	EC	impressive, stellar dusty core, in pair
Camargo 502	53.19	0.21	19:28:52	18:02:47	2.5 × 2.5	EGr	in pair
Camargo 503	53.37	0.61	19:27:46	18:23:41	7 × 7	EC	impressive stellar dusty core
Camargo 504	53.48	0.53	19:28:17	18:27:33	6 × 6	EGr	
Camargo 505	53.64	0.01	19:30:31	18:21:08	2.5 × 2.5	EC	procluster? edge of large bubble
Camargo 506	53.80	0.98	19:27:15	18:56:53	5 × 5	EC	impressive
Camargo 507	53.92	-0.54	19:33:08	18:19:55	7 × 7	EC	little dust, impressive

continued on next page. . .

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 508	53.96	0.03	19:31:05	18:38:17	3 × 3	EGr	
Camargo 509	54.38	-0.04	19:32:12	18:58:37	4 × 4	EC	impressive,very interesting
Camargo 510	54.69	0.39	19:31:15	19:26:48	6 × 6	EC	loose stellar core, impressive
Camargo 511	54.72	-0.15	19:33:19	19:13:05	2.5 × 2.5	ECC	protocluster? impressive
Camargo 512	54.94	-0.23	19:34:04	19:22:05	5 × 5	EC	protocluster? winds, impressive
Camargo 513	55.98	0.43	19:33:45	20:35:49	6 × 6	EC	
Camargo 514	56.15	0.08	19:35:25	20:34:49	3.5 × 3.5	EC	impressive dusty core
Camargo 515	56.18	1.10	19:31:39	21:06:00	6 × 6	EC	impressive
Camargo 516	56.36	0.33	19:34:55	20:52:56	6 × 6	EC	include IR Dark Cloud
Camargo 517	56.41	-0.03	19:36:21	20:45:21	6 × 6	EC	impressive, dusty core
Camargo 518	56.42	0.42	19:34:42	20:58:52	3 × 3	EC	impressive, dusty core
Camargo 519	56.52	-0.47	19:38:15	20:37:54	4.5 × 4.5	EC	impressive
Camargo 520	56.82	-0.18	19:37:47	21:02:15	6 × 6	EC	impressive, dusty core
Camargo 521	56.89	0.50	19:35:23	21:25:33	6 × 6	EC	protocluster, shock, very impressive
Camargo 522	57.11	-0.19	19:38:26	21:16:56	4.5 × 4.5	EC	protocluster, shock impressive
Camargo 523	57.42	-0.09	19:38:41	21:36:11	6 × 6	EC	OCC impressive
Camargo 524	57.53	-0.18	19:39:18	21:39:18	4 × 4	EC	include IR Dark Cloud
Camargo 525	57.70	0.04	19:38:48	21:54:24	15 × 15	EC	impressive, stellar core
Camargo 526	58.12	0.91	19:36:25	22:42:20	5 × 5	EC	protocluster, dusty core
Camargo 527	58.27	0.85	19:36:58	22:47:55	7 × 7	EC	small stellar core
Camargo 528	58.41	0.04	19:40:18	22:31:45	6 × 6	EC	
Camargo 529	58.61	0.61	19:38:35	22:59:01	6 × 6	EC	impressive shock, bubble
Camargo 530	58.77	0.65	19:38:48	23:08:31	6 × 6	EC	impressive, dusty core, include bubble
Camargo 531	58.90	1.82	19:34:37	23:49:47	6 × 6	EC	small stellar dusty core
Camargo 532	58.95	1.39	19:36:22	23:39:46	5 × 5	EGr	protocluster?
Camargo 533	58.97	0.62	19:39:19	23:18:13	7 × 7	EC	small stellar core
Camargo 534	59.00	-0.26	19:42:43	22:53:36	7 × 7	EC	small stellar dusty core, shocks
Camargo 535	59.00	-0.19	19:42:29	22:55:51	6 × 6	EC	
Camargo 536	59.17	-0.32	19:43:20	23:00:42	1 × 1	EC	rather faint, in bubble
Camargo 537	59.19	1.04	19:38:14	23:42:09	7 × 7	EC	include substructure
Camargo 538	59.25	0.14	19:41:44	23:18:21	6 × 6	EGr	
Camargo 539	59.39	1.54	19:36:43	24:07:09	6 × 6	EC	large stellar core
Camargo 540	59.48	-0.19	19:43:28	23:20:41	7 × 7	EGr	
Camargo 541	59.57	-0.12	19:43:26	23:27:32	6 × 6	EC	small stellar core
Camargo 542	59.61	0.92	19:39:34	24:00:16	7 × 7	EC	inc bubble, impr dusty stellar core
Camargo 543	59.65	1.74	19:36:31	24:26:27	8 × 8	EGr	
Camargo 544	59.74	1.01	19:39:29	24:10:04	6 × 6	EC	impressive, little dust
Camargo 545	59.75	-0.03	19:43:28	23:39:51	5 × 5	EC	impressive composite core
Camargo 546	59.79	0.61	19:41:07	24:00:48	6 × 6	EC	impressive
Camargo 547	59.83	0.67	19:40:59	24:04:43	7 × 7	EC	impressive
Camargo 548	59.83	-0.74	19:46:19	23:22:11	7 × 7	EC	impressive loose core
Camargo 549	59.83	0.02	19:43:28	23:44:48	5 × 5	EC	protocluster? in bubble
Camargo 550	59.84	-0.35	19:44:53	23:34:46	6 × 6	EC	impressive
Camargo 551	59.89	0.76	19:40:47	24:10:15	5 × 5	EC	impressive, composite dusty core
Camargo 552	59.90	-0.18	19:44:23	23:42:48	6 × 6	EC	small core, impressive
Camargo 553	59.99	2.09	19:35:55	24:54:44	6 × 6	EGr	bright IR source in center
Camargo 554	59.99	0.12	19:43:26	23:56:48	6 × 6	EC	impressive shock
Camargo 555	60.13	-0.26	19:45:10	23:52:30	7 × 7	EC	
Camargo 556	60.15	1.46	19:38:39	24:44:40	6 × 6	EC	impressive, loose core
Camargo 557	60.15	0.20	19:43:28	24:07:20	7 × 5	EC	impressive
Camargo 558	60.28	1.50	19:38:47	24:52:22	6 × 6	EC	loose core
Camargo 559	60.39	-0.70	19:47:24	23:53:00	7 × 7	EGr	
Camargo 560	60.57	-0.19	19:45:52	24:17:38	7 × 7	EC	impressive, bright IR source in center
Camargo 561	60.75	-1.23	19:50:13	23:55:08	7 × 7	EC	impressive
Camargo 562	60.91	-1.06	19:49:55	24:08:55	6 × 6	EC	bright IR source in center
Camargo 563	61.04	-0.86	19:49:26	24:21:14	7 × 7	EC	shock
Camargo 564	61.15	-0.75	19:49:18	24:30:13	6 × 6	EC	protocluster?
Camargo 565	61.29	-0.33	19:47:59	24:50:11	7 × 7	EC	dusty stellar core, impressive
Camargo 566	61.36	-0.02	19:46:58	25:03:28	6 × 6	EC	protocluster?
Camargo 567	61.46	0.39	19:45:38	25:20:57	7 × 7	EC	dusty core
Camargo 568	61.88	0.36	19:46:42	25:41:45	7 × 7	EC	small core
Camargo 569	61.98	2.22	19:39:41	26:42:24	7 × 7	EGr	
Camargo 570	62.14	-0.14	19:49:12	25:40:09	3 × 3	EC	
Camargo 571	62.18	1.72	19:42:05	26:38:32	3 × 3	EC	

continued on next page. . .

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 572	63.07	0.18	19:50:03	26:38:11	3.5 × 3.5	EGr	protocluster?
Camargo 573	63.11	0.34	19:49:32	26:45:09	6 × 6	EGr	protocluster? in triplet
Camargo 574	63.12	0.38	19:49:23	26:46:43	3.5 × 3.5	EC	in triplet
Camargo 575	63.12	0.45	19:49:09	26:48:53	3 × 3	EC	in triplet
Camargo 576	64.03	-0.19	19:53:40	27:16:14	9 × 9	EC	dusty core, impressive
Camargo 577	64.23	1.22	19:48:42	28:09:42	6 × 6	EC	
Camargo 578	64.38	-0.34	19:55:07	27:29:35	6 × 6	EGr	include IR Dark and IR Bright Nebula
Camargo 579	64.54	-0.71	19:56:54	27:26:06	3.5 × 3.5	ECC	include IR Dark Nebula
Camargo 580	64.73	-1.07	19:58:42	27:24:46	3.5 × 3.5	EC	
Camargo 581	64.80	-0.59	19:57:02	27:43:22	4 × 4	EC	
Camargo 582	64.96	-0.04	19:55:17	28:08:47	3 × 3	OCC	
Camargo 583	65.19	-0.28	19:56:45	28:12:44	4 × 3	EC	
Camargo 584	65.20	0.05	19:55:30	28:23:29	11 × 11	EC	sequential star formation: bubble to the E and W?
Camargo 585	65.23	-0.48	19:57:37	28:08:53	7 × 7	EC	impressive
Camargo 586	65.25	0.35	19:54:25	28:35:23	5 × 5	EC	
Camargo 587	65.33	0.90	19:52:29	28:56:22	7 × 7	EC	loose stellar core
Camargo 588	65.37	0.84	19:52:48	28:56:39	7 × 7	EC	core, ring of stars, sequential star formation?
Camargo 589	65.52	1.28	19:51:25	29:18:04	7 × 7	EC	dusty core, include bubble, impressive
Camargo 590	65.56	-0.34	19:57:51	28:29:45	6 × 6	EC	stellar core, impressive
Camargo 591	65.71	1.30	19:51:47	29:28:30	5 × 5	EC	interesting
Camargo 592	65.79	0.90	19:53:33	29:20:10	6 × 6	EC	stellar core, impressive
Camargo 593	65.88	-0.59	19:59:35	28:38:29	6 × 5	EC	include shock, impressive, dusty core
Camargo 594	65.90	0.70	19:54:36	29:19:35	7 × 7	EC	small dusty core
Camargo 595	66.11	0.00	19:57:51	29:08:44	6 × 6	EC	loose stellar core, impressive
Camargo 596	66.26	-0.06	19:58:27	29:14:23	8 × 8	EC	small dusty stellar core
Camargo 597	66.43	0.60	19:56:15	29:43:50	8 × 8	EC	include sequential star formation?
Camargo 598	66.55	-0.05	19:59:07	29:29:50	6 × 6	EC	impressive
Camargo 599	66.58	0.66	19:56:24	29:53:35	6 × 6	EC	dusty core, impressive
Camargo 600	66.63	-1.17	20:03:39	28:58:19	7 × 7	EC	
Camargo 601	66.70	-0.29	20:00:23	29:29:49	7 × 7	EC	inc shock,impressive
Camargo 602	66.70	-1.45	20:04:55	28:52:59	7 × 7	EC	impressive
Camargo 603	66.79	-1.64	20:05:52	28:51:10	4 × 4	EC	in bubble
Camargo 604	66.84	0.86	19:56:13	30:12:59	5 × 5	EC	winds, impressive
Camargo 605	66.91	0.94	19:56:03	30:19:04	6 × 6	EC	include substructure, dusty stellar core
Camargo 606	67.13	-1.56	20:06:22	29:10:58	7 × 7	EGr	
Camargo 607	67.75	0.49	19:59:52	30:47:58	7 × 7	Ec	dusty core, impressive
Camargo 608	68.03	1.05	19:58:20	31:20:11	4 × 4	EC	impressive, in pair
Camargo 609	68.08	1.07	19:58:22	31:23:05	6 × 6	EC	impressive, in pair
Camargo 610	68.15	0.92	19:59:08	31:22:00	4 × 4	EC	deeply embedded, bubble edge, sequential star formation?
Camargo 611	68.26	1.17	19:58:25	31:35:21	8 × 8	EC	shell part as SUH 59
Camargo 612	68.32	1.03	19:59:07	31:34:00	8 × 8	EC	shell part as SUH 59
Camargo 613	68.34	1.31	19:58:03	31:44:06	7 × 7	EC	
Camargo 614	69.12	0.80	20:02:01	32:07:41	6 × 6	EC	include bubble
Camargo 615	69.26	0.93	20:01:51	32:19:09	3 × 3	EC	include bubble
Camargo 616	69.63	1.24	20:01:33	32:47:47	7 × 7	EC	impressive
Camargo 617	69.80	1.55	20:00:45	33:06:03	4 × 4	ECC	in IR Dark cloud
Camargo 618	69.91	1.70	20:00:23	33:16:01	6 × 6	EC	
Camargo 619	70.05	1.89	19:59:57	33:29:41	6 × 6	EC	
Camargo 620	70.15	1.72	20:00:54	33:29:21	5 × 5	EC	in bubble edge
Camargo 621	70.19	1.48	20:01:58	33:23:37	2 × 1.5	EC	dust nebula, in group
Camargo 622	70.29	1.60	20:01:46	33:32:48	2.5 × 1.5	EC	pair with NGC 6857, main in group
Camargo 623	70.32	1.75	20:01:13	33:38:35	4 × 4	ECC	in group
Camargo 624	70.71	1.26	20:04:12	33:42:53	2 × 2	EC	2nd generation, in pair
Camargo 625	71.87	1.06	20:08:02	34:35:37	4 × 4	EC	
Camargo 626	71.89	1.31	20:07:04	34:44:37	6 × 6	EC	
Camargo 627	71.95	1.10	20:08:04	34:40:51	4 × 4	EC	include subsctructure?
Camargo 628	71.95	2.86	20:00:50	35:37:09	7 × 7	EC	in bubble
Camargo 629	72.04	2.78	20:01:23	35:39:20	5 × 5	EC	in bubble
Camargo 630	72.18	0.88	20:09:36	34:45:05	3 × 3	EC	shocks
Camargo 631	72.37	2.31	20:04:11	35:41:03	6 × 6	EC	
Camargo 632	72.40	2.15	20:04:55	35:37:13	4.5 × 4.5	EC	
Camargo 633	72.40	1.03	20:09:33	35:01:16	7 × 7	EC	
Camargo 634	114.19	2.74	23:29:45	64:12:56	7 × 7	EC	
Camargo 635	114.97	3.18	23:35:27	64:52:14	4 × 4	EC	main cluster in pair

continued on next page...

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 636	114.98	3.22	23:35:24	64:54:31	3 × 3	EC	in pair
Camargo 637	114.98	2.21	23:38:06	63:56:33	7 × 7	EC	prominent
Camargo 638	115.07	2.76	23:37:24	64:29:36	6 × 6	EC	
Camargo 639	115.14	3.96	23:34:48	65:40:08	7 × 7	EC	
Camargo 640	115.20	3.54	23:36:29	65:16:45	5 × 5	EC	dusty core
Camargo 641	117.91	0.26	0:07:24	62:41:57	6 × 6	EC	interesting core
Camargo 642	118.28	2.48	0:07:20	64:57:20	5 × 5	EC	prominent, sequential star formation
Camargo 643	118.39	-0.99	0:13:11	61:32:34	7 × 5	EC	prominent
Camargo 644	118.63	-0.40	0:14:26	62:09:36	7 × 5	EC	prominent
Camargo 645	118.63	2.79	0:10:04	65:18:44	2 × 2	EC	in group
Camargo 646	119.10	0.11	0:17:52	62:43:48	7 × 7	EC	prominent stellar core
Camargo 647	119.43	1.06	0:19:45	63:43:00	6 × 6	EC	prominent dusty core with shell
Camargo 648	119.47	0.77	0:20:22	63:26:14	6 × 6	ECC	
Camargo 649	119.72	1.68	0:21:42	64:21:58	6 × 4	EC	prominent, in pair with King 1
Camargo 650	119.85	1.78	0:22:48	64:28:55	3 × 3	EC	extended core
Camargo 651	119.87	2.42	0:22:15	65:07:21	5 × 5	EC	prominent
Camargo 652	120.02	0.16	0:25:52	62:53:21	7 × 7	EC	
Camargo 653	120.10	1.51	0:25:23	64:14:15	6 × 6	EC	
Camargo 654	120.25	2.16	0:26:05	64:54:01	5 × 5	EC	with substructures
Camargo 655	120.30	2.15	0:26:34	64:53:40	3 × 2	EC	prominent 2nd generation
Camargo 656	120.35	1.96	0:27:15	64:42:31	6 × 5	EC	dusty core
Camargo 657	120.35	0.09	0:28:44	62:51:01	4 × 4	EC	in dust bubble
Camargo 658	120.44	0.07	0:29:34	62:50:09	4 × 3	EC	
Camargo 659	120.47	2.75	0:27:39	65:30:30	7 × 7	EC	in dust filament
Camargo 660	120.61	2.69	0:29:02	65:27:49	5 × 5	EC	in dust filament
Camargo 661	120.67	2.68	0:29:37	65:27:15	5 × 5	EC	in dust filament, main cluster
Camargo 662	120.67	-0.11	0:31:43	62:40:45	5 × 5	EC	
Camargo 663	120.89	1.22	0:32:49	64:01:18	2 × 2	EC	in dust bubble
Camargo 664	120.90	0.92	0:33:02	63:43:07	7 × 7	EC	
Camargo 665	120.94	2.66	0:32:17	65:27:12	5 × 5	EC	
Camargo 666	121.11	0.71	0:35:06	63:31:28	6 × 6	EC	
Camargo 667	121.39	0.89	0:37:31	63:43:25	4 × 4	EC	dusty core
Camargo 668	121.39	1.22	0:37:22	64:03:03	6 × 6	EC	include filament, impressive
Camargo 669	121.45	0.27	0:38:18	63:06:03	6 × 6	EC	dusty stellar core
Camargo 670	121.45	0.83	0:38:05	63:39:45	5 × 5	EC	
Camargo 671	121.57	1.35	0:38:53	64:11:20	5 × 5	EC	include substructure?
Camargo 672	121.99	1.18	0:42:51	64:02:13	7 × 7	OCC	include Dias 1
Camargo 673	122.91	1.76	0:51:14	64:38:05	5 × 5	EC	dusty core
Camargo 674	124.02	-0.03	1:00:56	62:49:29	6 × 6	EC	impressive
Camargo 675	124.25	0.15	1:03:03	62:59:22	5 × 5	EC	dusty core
Camargo 676	124.48	2.49	1:06:18	65:19:02	5 × 5	EC	impressive
Camargo 677	124.56	2.53	1:07:01	65:20:51	3 × 3	EC	in group, subcluster
Camargo 678	124.60	0.80	1:06:31	63:37:25	6 × 6	EC	compact small stellar core
Camargo 679	124.63	2.51	1:07:41	65:19:59	1 × 1	EC	dusty, in group, subcluster
Camargo 680	124.64	2.54	1:07:50	65:21:23	5 × 5	EC	in group, main cluster, dusty core
Camargo 681	124.81	0.78	1:08:20	63:35:12	15 × 15	OCC	
Camargo 682	124.87	0.45	1:08:39	63:15:14	6 × 6	EC	
Camargo 683	124.86	0.33	1:08:32	63:07:56	1.5 × 1.5	EC	in Majaess 22
Camargo 684	124.93	0.05	1:08:57	62:51:08	5 × 5	EC	at edge of a bubble, impressive
Camargo 685	124.93	-0.25	1:08:49	62:33:23	6 × 6	EC	in triplet
Camargo 686	124.95	-0.17	1:09:02	62:38:00	5 × 3	EC	in triplet
Camargo 687	124.97	-0.14	1:09:14	62:39:51	3 × 3	EC	in triplet
Camargo 688	125.06	0.89	1:10:41	63:41:06	6 × 6	EC	at edge of dust bubble
Camargo 689	125.12	2.87	1:12:37	65:39:07	6 × 6	EC	dusty core, impressive
Camargo 690	125.15	2.65	1:12:45	65:25:35	5 × 5	ECC	small dusty core
Camargo 691	125.37	0.32	1:12:59	63:05:33	6 × 6	EC	impressive dusty core
Camargo 692	125.51	2.03	1:15:37	64:46:34	2 × 2	EC	substructure in Majaess 24
Camargo 693	125.54	2.05	1:16:00	64:47:25	2.5 × 2	EC	substructure in Majaess 24
Camargo 694	125.54	2.14	1:16:00	64:53:22	6 × 6	EC	in group, impressive
Camargo 695	125.61	2.10	1:16:37	64:50:44	6 × 6	EC	in group, impressive
Camargo 696	125.62	1.62	1:16:18	64:21:37	6 × 6	EC	dusty stellar core
Camargo 697	125.63	2.02	1:16:48	64:45:41	6 × 6	EC	in group, impressive
Camargo 698	125.77	1.71	1:17:46	64:25:59	8 × 8	EC	impressive core
Camargo 699	126.93	0.89	1:27:22	63:28:54	6 × 6	EC	prominent

continued on next page. . .

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 700	127.02	0.76	1:28:00	63:20:42	4 × 3	ECC	
Camargo 701	127.08	0.89	1:28:41	63:27:34	6 × 6	EC	impressive
Camargo 702	127.45	0.97	1:32:07	63:28:55	5 × 5	EC	impressive, shock
Camargo 703	127.53	0.94	1:32:47	63:26:16	6 × 6	EC	impressive, shock
Camargo 704	127.65	0.94	1:33:48	63:25:12	7 × 7	EC	
Camargo 705	127.92	0.65	1:35:43	63:05:50	7 × 7	EC	impressive, include substructures
Camargo 706	128.31	1.67	1:40:53	64:01:24	7 × 7	EC	dusty core
Camargo 707	128.46	1.40	1:41:45	63:43:56	3 × 2	EC	protocluster? dusty core
Camargo 708	128.54	1.50	1:42:37	63:48:52	6 × 6	EC	dusty core, impressive
Camargo 709	128.89	2.01	1:46:41	64:14:22	5 × 5	EC	small dusty core
Camargo 710	129.00	-0.19	1:43:37	62:04:02	5 × 5	EC	small dusty core
Camargo 711	129.10	1.97	1:48:30	64:09:05	6 × 6	EC	dusty stellar core
Camargo 712	130.12	0.48	1:54:44	62:27:43	4 × 4	EC	near Berkeley 7
Camargo 713	130.15	-0.41	1:52:43	61:35:58	6 × 6	EC	impressive
Camargo 714	130.80	-0.17	1:58:32	61:40:35	7 × 7	EGr	
Camargo 715	131.34	-1.19	2:00:39	60:32:59	5 × 5	EC	small dusty core
Camargo 716	131.45	-1.16	2:01:31	60:32:42	6 × 6	EC	prominent
Camargo 717	132.20	-1.25	2:07:10	60:14:55	7 × 7	EC	bright stars in the core
Camargo 718	132.40	-0.58	2:10:20	60:50:07	6 × 6	EC	impressive, dusty stellar core
Camargo 719	132.84	0.74	2:17:17	61:57:09	5 × 5	ECC	poor
Camargo 720	132.97	0.73	2:18:16	61:54:05	6 × 6	EC	
Camargo 721	133.23	-1.18	2:15:14	60:00:04	5 × 5	EC	
Camargo 722	133.27	0.98	2:21:26	62:02:07	3 × 3	EC	
Camargo 723	133.29	-1.30	2:15:24	59:52:02	6 × 6	EC	
Camargo 724	133.35	0.04	2:19:22	61:07:09	5 × 5	EC	in shock, poor, stellar dusty core, in group
Camargo 725	133.40	1.18	2:23:02	62:10:45	6 × 6	EC	loose, little dust
Camargo 726	133.45	1.71	2:25:05	62:38:56	6 × 6	EC	little dust
Camargo 727	133.46	0.99	2:22:57	61:58:41	7 × 7	EC	loose, little dust
Camargo 728	133.43	0.43	2:21:08	61:27:18	5 × 5	EC	in shock, impressive, poor
Camargo 729	133.49	0.82	2:22:41	61:48:43	5 × 5	EC	include dusty structure
Camargo 730	133.55	0.09	2:21:05	61:06:06	6 × 6	EC	in group
Camargo 731	133.60	1.13	2:24:30	62:03:31	5 × 5	ECC	faint
Camargo 732	133.78	1.42	2:26:52	62:15:58	3 × 3	EC	in nebula, in group (2MASS)
Camargo 733	133.79	1.43	2:26:59	62:16:27	4 × 4	EC	large dusty, protocluster?, in group
Camargo 734	133.79	1.11	2:25:58	61:58:27	4 × 3	EC	rather faint, in group
Camargo 735	133.82	1.99	2:28:56	62:46:59	6 × 6	EC	little dust
Camargo 736	133.84	0.54	2:24:40	61:25:19	6 × 6	EC	small stellar core
Camargo 737	133.92	1.19	2:27:16	62:00:05	4 × 4	EC	in group, poor
Camargo 738	133.96	0.87	2:26:33	61:41:16	5 × 5	EC	dust core, rather faint
Camargo 739	134.00	0.52	2:25:50	61:20:53	6 × 6	EC	poor
Camargo 740	134.00	0.52	2:25:51	61:20:47	6 × 6	EC	small core
Camargo 741	134.02	0.40	2:25:39	61:13:33	6 × 6	EC	small dusty stellar core
Camargo 742	134.05	0.83	2:27:12	61:37:04	5 × 5	EC	small dusty stellar core
Camargo 743	134.09	1.37	2:29:08	62:06:24	4 × 4	EC	in half bubble
Camargo 744	134.21	0.80	2:28:18	61:32:06	4.5 × 3	EC	impressive, wind, include substructures
Camargo 745	134.24	1.05	2:29:18	61:45:35	6 × 6	EC	more populated to the NW
Camargo 746	134.41	1.45	2:31:55	62:03:33	6 × 6	EC	impressive shock, dusty core
Camargo 747	134.43	1.54	2:32:23	62:08:32	6 × 4	EC	in cometary nebula
Camargo 748	134.45	1.06	2:31:02	61:41:08	6 × 4	EC	
Camargo 749	134.47	1.63	2:33:00	62:12:00	4 × 4	ECC	distant?
Camargo 750	137.48	0.64	2:52:17	60:03:16	6 × 6	EC	core in cometary nebula, in multiple system
Camargo 751	134.58	1.04	2:31:57	61:36:44	6 × 6	EC	very small core
Camargo 752	134.58	0.33	2:29:45	60:57:28	6 × 6	EC	in shock,poor
Camargo 753	134.60	1.94	2:35:02	62:26:43	5 × 5	EC	in bubble,very small core
Camargo 754	134.79	0.54	2:31:59	61:04:26	6 × 5	EC	in shock
Camargo 755	134.83	1.32	2:34:48	61:46:44	5 × 5	EC	bubble edge, 2 clusters? 2 generation
Camargo 756	135.06	-0.05	2:32:14	60:25:42	6 × 6	EC	in dust cirrus,poor
Camargo 757	135.23	-0.00	2:33:40	60:24:11	3 × 3	ECC	in dust bubble
Camargo 758	135.35	0.94	2:37:33	61:13:21	5 × 5	ECC	dusty, poor, protocluster?
Camargo 759	135.62	2.76	2:46:06	62:46:30	6 × 6	EC	large dusty core, impressive
Camargo 760	135.68	1.14	2:40:45	61:16:54	6 × 6	EC	prominent, loose stellar core
Camargo 761	137.76	1.47	2:57:21	60:39:54	6 × 6	ECC	in multiple cluster system
Camargo 762	135.88	2.89	2:48:34	62:46:45	6 × 6	EC	dusty core
Camargo 763	135.91	-0.47	2:37:11	59:42:31	5 × 4	EC	large dusty core, protocluster?

continued on next page. . .

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 764	135.94	0.49	2:40:31	60:34:37	5 × 5	EC	inc dusty structure
Camargo 765	135.99	0.67	2:41:29	60:43:24	6 × 6	EC	
Camargo 766	136.05	0.51	2:41:24	60:33:12	5 × 5	EC	prominent, little dust
Camargo 767	136.35	0.82	2:44:40	60:42:30	6 × 6	EC	small dusty core, shocks
Camargo 768	136.36	0.95	2:45:11	60:49:35	5 × 5	EC	small dusty core
Camargo 769	136.38	0.68	2:44:24	60:34:16	6 × 6	EC	small stellar core
Camargo 770	136.47	2.51	2:51:43	62:10:24	5 × 5	EC	prominent dusty
Camargo 771	136.48	1.25	2:47:09	61:02:17	6 × 6	EC	in multiple system
Camargo 772	136.57	-0.99	2:40:17	58:58:12	6 × 6	EC	prominent, shocks
Camargo 773	136.72	1.33	2:49:15	61:00:29	6 × 6	EC	dusty core in multiple system
Camargo 774	136.74	0.46	2:46:20	60:13:04	5 × 5	EC	impressive, dusty, in multiple system
Camargo 775	136.83	1.06	2:49:03	60:43:21	2.5 × 2.5	EC	in multiple system, in pair
Camargo 776	136.83	1.11	2:49:12	60:45:40	5 × 5	EC	dusty, in mult syst, in pair
Camargo 777	136.90	0.94	2:49:09	60:35:02	6 × 6	EC	in mult syst
Camargo 778	137.18	1.04	2:51:35	60:32:50	6 × 6	EC	small dusty core, in multiple syst
Camargo 779	137.39	0.61	2:51:33	60:03:52	6 × 6	EC	in multip cl system, in comet neb
Camargo 780	137.41	0.68	2:51:54	60:07:01	5 × 5	EC	impr, in comet neb, multip syst
Camargo 781	137.59	2.00	2:58:08	61:12:54	4 × 4	ECC	
Camargo 782	137.59	1.35	2:55:38	60:38:21	6 × 6	EC	2 shock fronts, in multip syst
Camargo 783	137.69	1.53	2:57:04	60:44:48	6 × 6	ECC	small dusty core, in mult syst
Camargo 784	139.49	1.53	3:09:47	59:52:57	6 × 6	EC	impres, inc 3 substructures, dusty
Camargo 785	139.57	2.76	3:15:26	60:53:21	5 × 5	EC	in dust cirrus
Camargo 786	139.69	2.21	3:13:58	60:21:17	7 × 7	EC	little dust
Camargo 787	139.84	2.44	3:15:59	60:28:31	7 × 7	EC	small dusty core
Camargo 788	139.96	2.59	3:17:28	60:32:24	6 × 6	EC	dusty core
Camargo 789	140.05	1.91	3:15:11	59:54:44	5 × 5	EC	prominent
Camargo 790	140.10	1.83	3:15:11	59:49:08	6 × 6	EC	impressive, core in cometary nebula
Camargo 791	140.21	2.54	3:18:57	60:22:03	6 × 6	EC	small dusty and stellar core
Camargo 792	140.22	2.31	3:18:03	60:10:07	6 × 6	EC	rather loose stellar core
Camargo 793	140.22	2.16	3:17:23	60:02:07	7 × 7	EC	prominent
Camargo 794	140.60	2.39	3:20:53	60:01:48	6 × 6	EC	prominent
Camargo 795	142.42	1.23	3:27:44	58:03:27	5 × 5	EC	small dusty stellar core
Camargo 796	142.64	1.41	3:29:53	58:04:52	5 × 5	EC	
Camargo 797	143.04	1.75	3:33:51	58:07:53	6 × 6	EC	small double dusty core
Camargo 798	143.38	1.27	3:33:52	57:32:40	6 × 6	EC	include substructure
Camargo 799	145.13	6.68	4:11:04	60:37:46	7 × 7	EC	compact core
Camargo 800	145.42	7.36	4:16:40	60:55:32	3 × 3	EC	dusty core
Camargo 801	145.99	1.20	3:48:47	55:54:54	5 × 5	EC	gas expulsion?lg irreg dusty core
Camargo 802	146.02	5.14	4:07:57	58:53:59	5 × 5	EC	
Camargo 803	146.53	5.71	4:13:49	58:58:19	4 × 3	EC	
Camargo 804	147.63	1.03	3:56:58	54:44:59	6 × 6	EC	small dusty core
Camargo 805	147.84	1.09	3:58:19	54:39:39	7 × 7	EC	dusty irreg core,gas expulsion?
Camargo 806	148.01	-0.17	3:53:42	53:35:05	5 × 5	EC	impressive, dusty
Camargo 807	148.10	0.14	3:55:30	53:45:43	6 × 6	EC	prominent,in pair
Camargo 808	148.16	0.37	3:56:47	53:54:33	6 × 6	EC	in pair,smaller cluster
Camargo 809	148.22	2.24	4:05:36	55:16:25	2.5 × 2	EC	dusty core
Camargo 810	148.28	-0.42	3:53:59	53:12:58	6 × 6	EC	small dusty core
Camargo 811	148.40	0.28	3:57:38	53:40:58	6 × 6	EC	prominent
Camargo 812	148.40	-0.64	3:53:41	52:58:11	5 × 5	ECC	
Camargo 813	148.41	-0.38	3:54:53	53:10:01	6 × 6	EC	small dusty core
Camargo 814	148.48	1.98	4:05:44	54:54:39	6 × 6	EC	small dusty core,multiple,main cl
Camargo 815	148.49	1.14	4:01:54	54:16:24	7 × 7	EC	small stellar core
Camargo 816	148.53	1.95	4:05:52	54:51:10	4 × 4	EC	small dusty core,in multip syst
Camargo 817	148.56	1.84	4:05:28	54:45:02	2.5 × 2.5	EC	large dusty core,in multip system
Camargo 818	148.56	2.16	4:07:01	54:59:22	6 × 6	EC	dusty core,in multiple cl system
Camargo 819	148.65	2.05	4:06:54	54:50:50	6 × 6	EC	in multip cl system
Camargo 820	148.70	2.20	4:07:50	54:55:34	5 × 5	EC	small dusty core,in mult syst
Camargo 821	148.80	0.68	4:01:27	53:43:20	4 × 4	EC	dusty core
Camargo 822	148.81	2.07	4:07:50	54:45:34	5 × 5	EC	small dusty core, in multiple syst
Camargo 823	148.83	-1.27	3:53:16	52:12:58	4 × 4	EC	prominent
Camargo 824	148.83	2.00	4:07:36	54:41:12	4.5 × 4.5	EC	prominent
Camargo 825	148.86	2.02	4:07:50	54:41:15	3 × 2	EC	in multiple cluster system
Camargo 826	148.89	2.49	4:10:12	55:00:47	7 × 7	EC	prominent dust core
Camargo 827	149.04	1.29	4:05:24	54:01:16	5 × 5	EC	dusty core

continued on next page. . .

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 828	149.05	0.42	4:01:35	53:21:45	5 × 5	EC	impressive
Camargo 829	149.26	1.45	4:07:16	53:59:29	5 × 5	EC	loose core
Camargo 830	149.51	-1.22	3:56:52	51:48:51	9 × 9	EC	
Camargo 831	149.59	0.90	4:06:26	53:21:50	5 × 5	EC	prominent,large dusty core
Camargo 832	149.64	1.20	4:08:01	53:33:12	5 × 5	EC	dusty stellar core
Camargo 833	149.70	1.40	4:09:14	53:39:19	4 × 4	EC	
Camargo 834	149.72	3.48	4:19:12	55:09:24	5 × 5	EC	
Camargo 835	149.75	-1.52	3:56:47	51:25:58	1 × 1	EC	
Camargo 836	150.05	3.07	4:18:50	54:37:59	6 × 6	OC	
Camargo 837	150.06	1.20	4:10:04	53:16:08	6 × 6	EC	dusty core
Camargo 838	150.11	0.73	4:08:14	52:53:42	6 × 6	EC	impr stel dominated core
Camargo 839	150.13	0.04	4:05:17	52:21:35	7 × 7	EC	impressive
Camargo 840	150.62	4.20	4:27:10	55:00:59	10 × 10	OCC	
Camargo 841	150.83	3.55	4:24:59	54:25:00	10 × 10	OC	stellar core, impressive
Camargo 842	150.86	2.19	4:18:32	53:26:01	7 × 7	EC	dusty core
Camargo 843	150.87	2.36	4:19:25	53:33:12	12 × 12	OCC	large
Camargo 844	150.95	-1.73	4:01:41	50:29:33	5 × 5	EC	dusty core
Camargo 845	151.17	0.46	4:12:10	51:58:20	6 × 6	EC	
Camargo 846	151.32	1.69	4:18:25	52:45:26	5 × 5	EC	in cometary globule,impressive
Camargo 847	151.37	1.88	4:19:33	52:51:21	6 × 6	EC	
Camargo 848	151.40	1.31	4:17:03	52:25:54	7 × 7	ECC	
Camargo 849	151.45	3.91	4:29:39	54:13:29	9 × 9	OCC	
Camargo 850	151.49	-1.36	4:05:47	50:25:03	7 × 7	EC	
Camargo 851	151.53	-1.19	4:06:40	50:30:58	7 × 7	EC	impressive, include substructure
Camargo 852	151.63	3.37	4:27:50	53:43:09	7 × 7	EC	
Camargo 853	151.63	-1.10	4:07:32	50:30:48	6 × 6	EC	impressive, dusty stellar core
Camargo 854	151.69	2.26	4:22:48	52:54:20	6 × 6	EC	
Camargo 855	151.72	3.33	4:28:02	53:37:35	6 × 6	EC	small dusty core
Camargo 856	151.73	0.63	4:15:30	51:42:26	7 × 7	EC	small dusty core
Camargo 857	151.79	-1.44	4:06:51	50:08:59	5 × 5	EC	impressive
Camargo 858	151.83	4.96	4:36:45	54:39:03	7 × 7	EC	dusty core
Camargo 859	151.95	3.32	4:29:05	53:27:28	7 × 7	EC	impres, loose stellar core
Camargo 860	151.97	-1.97	4:05:27	49:38:23	5 × 5	EC	impressive dusty core
Camargo 861	152.16	-1.47	4:08:28	49:52:57	6 × 6	EC	stellar core prominent
Camargo 862	152.40	5.38	4:41:30	54:30:32	7 × 7	OC	
Camargo 863	152.42	4.38	4:36:28	53:49:54	4.5 × 4.5	EC	prominent, asymmetrical?
Camargo 864	152.48	0.70	4:19:19	51:14:17	7 × 7	EC	
Camargo 865	152.49	-0.21	4:15:22	50:34:35	9 × 9	EC	
Camargo 866	152.57	0.85	4:20:21	51:17:00	5 × 5	EC	prominent
Camargo 867	152.57	1.09	4:21:28	51:27:06	5 × 5	EC	dusty core
Camargo 868	152.61	2.74	4:29:17	52:34:24	6 × 6	EC	impressive, dusty core
Camargo 869	152.69	-2.40	4:06:59	48:50:16	7 × 7	EC	
Camargo 870	152.70	5.27	4:42:16	54:12:51	6 × 6	EC	stellar core
Camargo 871	152.78	3.57	4:34:03	53:01:03	6 × 6	EC	
Camargo 872	152.81	0.57	4:20:12	50:55:07	6 × 6	EC	prominent core
Camargo 873	152.86	2.90	4:31:14	52:30:13	5 × 5	EC	
Camargo 874	153.17	2.14	4:28:59	51:45:29	4 × 4	EC	dusty core
Camargo 875	152.34	-0.29	4:14:16	50:37:30	6 × 6	EC	impressive, dusty core, inc bubble
Camargo 876	153.40	3.11	4:34:37	52:15:19	6 × 6	EC	
Camargo 877	153.41	-1.74	4:12:55	48:50:13	4 × 4	OC	
Camargo 878	153.45	-1.93	4:12:19	48:40:03	11 × 11	OCC	
Camargo 879	153.62	3.40	4:36:59	52:17:11	5 × 5	EC	dusty core
Camargo 880	153.68	3.08	4:35:43	52:01:28	4 × 4	EC	in pair
Camargo 881	153.86	2.13	4:32:00	51:14:58	5 × 5	OC	
Camargo 882	153.87	2.59	4:34:10	51:33:10	5 × 5	OC	stellar core
Camargo 883	154.01	1.76	4:30:57	50:53:01	7 × 7	OCC	loose core?
Camargo 884	154.40	2.55	4:36:16	51:08:15	5 × 5	ECC	in pair
Camargo 885	154.40	1.94	4:33:26	50:43:29	5 × 5	EC	in bubble
Camargo 886	154.41	2.78	4:37:26	51:16:39	6 × 6	EC	impressive stellar dusty core
Camargo 887	154.52	2.11	4:34:46	50:45:07	3 × 3	EC	inc bubble
Camargo 888	154.59	2.05	4:34:44	50:39:31	3 × 3	EC	inc bubble
Camargo 889	154.78	2.81	4:39:10	51:01:38	2 × 2	EC	
Camargo 890	154.81	2.52	4:37:53	50:48:35	6 × 6	EC	in triplet
Camargo 891	154.82	2.44	4:37:33	50:44:51	3.5 × 3.5	EC	in triplet

continued on next page. . .

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 892	155.07	-3.44	4:13:09	46:27:27	7 × 7	OC	impressive
Camargo 893	155.10	1.66	4:35:09	50:01:11	6 × 6	EC	dusty core
Camargo 894	155.18	1.58	4:35:07	49:54:11	7 × 7	EC	impressive
Camargo 895	155.32	0.58	4:31:07	49:07:24	7 × 7	EC	
Camargo 896	155.49	0.00	4:29:18	48:35:42	6 × 6	EC	stellar and dusty core
Camargo 897	155.79	0.34	4:32:03	48:37:21	6 × 6	EC	
Camargo 898	156.48	-5.54	4:10:46	43:58:04	5 × 5	OC	
Camargo 899	156.52	1.16	4:38:42	48:37:55	6 × 6	ECC	
Camargo 900	156.72	1.03	4:38:53	48:23:58	6 × 6	OC	impressive core
Camargo 901	167.49	-15.66	4:14:13	29:10:27	6 × 6	EC	stellar core
Camargo 902	165.38	-13.37	4:15:07	32:14:22	7 × 7	OC	
Camargo 903	165.46	-13.19	4:16:00	32:18:51	4 × 4	OC	impressive stellar core
Camargo 904	165.53	-15.29	4:09:17	30:46:36	6 × 6	EC	impressive dusty core
Camargo 905	166.57	-15.27	4:12:39	30:04:55	5 × 5	EC	
Camargo 906	167.66	-15.69	4:14:37	29:02:17	5 × 5	EC	prominent cluster
Camargo 907	168.00	-15.36	4:16:47	29:01:49	2 × 2	OC	compact interesting
Camargo 908	168.33	-16.38	4:14:26	28:05:59	18 × 18	EC	large cluster
Camargo 909	170.53	-19.90	4:09:37	24:08:53	6 × 6	OCC	
Camargo 910	170.88	-19.13	4:13:03	24:26:19	3 × 3	OC	
Camargo 911	172.07	2.32	5:34:56	36:53:22	5 × 5	EC	stellar core
Camargo 912	172.21	2.53	5:36:12	36:52:37	5 × 5	EC	dusty core
Camargo 913	172.33	1.57	5:32:31	36:15:35	7 × 7	OCC	
Camargo 914	172.73	2.49	5:37:24	36:25:28	5 × 5	EC	
Camargo 915	172.76	2.10	5:35:53	36:10:23	5 × 5	EC	
Camargo 916	172.77	2.37	5:37:02	36:19:33	5 × 5	EC	stellar core
Camargo 917	172.77	-0.24	5:26:16	34:53:33	5 × 5	EC	dusty core prominent
Camargo 918	172.87	0.29	5:28:43	35:06:23	5 × 5	EC	dusty core
Camargo 919	173.01	2.38	5:37:40	36:07:44	4 × 4	EC	chain of stars
Camargo 920	173.08	-3.47	5:14:21	32:48:10	5 × 5	EC	dusty core
Camargo 921	173.16	2.56	5:38:51	36:06:09	4 × 4	EC	
Camargo 922	173.23	2.49	5:38:43	35:59:59	1 × 1	EC	
Camargo 923	173.25	3.11	5:41:24	36:18:21	5 × 5	EC	
Camargo 924	173.33	2.76	5:40:08	36:03:40	5 × 5	EC	
Camargo 925	173.33	2.37	5:38:30	35:50:46	5 × 5	EC	
Camargo 926	173.37	3.03	5:41:24	36:10:01	5 × 5	EC	
Camargo 927	173.42	2.76	5:40:23	35:59:11	2 × 2	ECC	in group
Camargo 928	182.03	4.39	6:07:41	29:23:06	5 × 5	EC	impressive
Camargo 929	182.69	-28.42	4:13:35	10:12:36	4 × 4	EC	strong dust emission impressive
Camargo 930	185.81	2.47	6:08:19	25:09:25	5 × 5	EC	stellar core
Camargo 931	188.14	3.51	6:17:11	23:36:17	6 × 6	EC	
Camargo 932	188.89	-70.83	2:05:02	-18:09:26	2 × 2	ECC	in high lat cloud? galaxy?
Camargo 933	188.57	2.80	6:15:21	22:53:30	6 × 6	EC	impressive
Camargo 934	188.65	-70.54	2:05:54	-17:56:17	2.5 × 2.5	ECC	in high lat cloud?
Camargo 935	189.03	2.91	6:16:43	22:32:15	7 × 4	EC	substructured,in L dust emis arc
Camargo 936	189.18	2.87	6:16:54	22:22:58	9 × 9	EC	substructured,in L dust emis arc
Camargo 937	189.25	3.16	6:18:07	22:27:39	8 × 5	EC	substructured,in L dust emis arc
Camargo 938	189.29	3.02	6:17:42	22:21:30	6 × 3	EC	in large dust emis arc
Camargo 939	189.83	-70.43	2:07:08	-18:13:15	2 × 2	ECC	high lat cloud? impr cluster
Camargo 940	191.43	-0.78	6:07:49	18:39:27	6 × 6	EC	impressive
Camargo 941	191.51	-0.60	6:08:39	18:40:27	5 × 5	EC	impressive
Camargo 942	191.59	-1.16	6:06:44	18:20:18	7 × 7	EC	
Camargo 943	191.97	0.97	6:15:25	19:01:40	2.5 × 2.5	EC	not FSR 909
Camargo 944	192.07	-2.64	6:02:19	17:11:17	2.5 × 2.5	EC	
Camargo 945	192.61	-2.65	6:03:24	16:43:01	8 × 8	EC	impressive
Camargo 946	193.09	-1.40	6:08:55	16:54:39	7 × 7	EC	dusty core impressive
Camargo 947	193.31	-1.40	6:09:21	16:43:03	9 × 9	EC	
Camargo 948	193.69	-1.05	6:11:24	16:33:08	10 × 10	EC	
Camargo 949	193.89	-1.07	6:11:44	16:22:16	6 × 6	EC	
Camargo 950	193.94	-0.45	6:14:07	16:37:29	7 × 7	EC	
Camargo 951	194.11	-0.55	6:14:05	16:25:43	7 × 7	EC	
Camargo 952	194.13	-3.77	6:02:25	14:50:55	7 × 7	EC	impressive
Camargo 953	194.28	-0.95	6:12:58	16:05:19	6 × 6	EC	impressive
Camargo 954	194.35	-0.84	6:13:30	16:04:38	8 × 8	EC	
Camargo 955	194.40	-1.03	6:12:56	15:56:23	6 × 6	OC	

continued on next page. . .

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 956	194.71	-3.38	6:05:01	14:31:52	7 × 7	EC	impressive
Camargo 957	194.71	-1.16	6:13:02	15:36:13	4 × 4	EC	impressive
Camargo 958	194.77	-1.42	6:12:13	15:25:43	7 × 7	EC	
Camargo 959	194.83	-3.39	6:05:11	14:25:23	6 × 6	EC	
Camargo 960	194.97	1.72	6:24:07	16:44:12	5 × 5	EC	
Camargo 961	194.98	-1.59	6:12:01	15:09:32	7 × 7	EC	impressive dusty core
Camargo 962	195.47	0.00	6:18:48	15:29:31	6 × 6	EC	
Camargo 963	195.53	-0.55	6:16:54	15:10:30	8 × 8	EC	
Camargo 964	195.54	-2.00	6:11:39	14:28:28	5 × 5	EC	
Camargo 965	195.55	0.47	6:20:40	15:38:22	8 × 8	EC	composite dusty core impressive
Camargo 966	195.77	0.02	6:19:28	15:13:58	4 × 4	EC	core in nebula impressive
Camargo 967	195.81	-0.22	6:18:40	15:05:09	2 × 2	EC	impressive
Camargo 968	193.89	1.05	6:19:33	17:22:45	5 × 5	EC	impressive shocks
Camargo 969	195.95	-0.78	6:16:55	14:41:46	6 × 6	EC	
Camargo 970	196.03	-0.77	6:17:05	14:37:50	3 × 3	EC	dusty core prominent
Camargo 971	196.05	-1.16	6:15:42	14:25:59	3 × 3	EC	
Camargo 972	196.18	-0.14	6:19:40	14:47:58	6 × 6	EC	dusty core
Camargo 973	196.52	0.09	6:21:10	14:36:09	5 × 5	EC	
Camargo 974	196.58	0.35	6:22:13	14:40:40	6 × 6	EC	stellar core, prominent
Camargo 975	196.67	-3.01	6:10:13	13:00:07	5 × 5	EC	far IR nebula (W4) 2Å · S 2x1.5Å ·
Camargo 976	196.80	-3.19	6:09:51	12:47:44	4 × 4	EC	
Camargo 977	196.92	0.64	6:23:56	14:30:28	7 × 7	EC	inc 2 substructures, prominent
Camargo 978	197.14	-3.10	6:10:50	12:32:45	6 × 6	EC	prominent
Camargo 979	197.45	-3.44	6:10:14	12:06:22	5 × 5	EC	
Camargo 980	212.28	-0.35	6:49:00	0:25:26	2 × 2	EC	
Camargo 981	235.34	-3.87	7:19:29	-21:40:13	7 × 7	EC	
Camargo 982	235.51	-3.74	7:20:18	-21:45:27	7 × 7	EC	in bubble, shocks
Camargo 983	236.17	-3.55	7:22:21	-22:15:24	7 × 7	EC	impressive
Camargo 984	236.28	0.09	7:36:17	-20:36:32	7 × 7	EC	
Camargo 985	236.59	-2.30	7:27:58	-22:02:03	6 × 6	EC	impressive
Camargo 986	236.60	-2.13	7:28:42	-21:57:14	4.5 × 4.5	EC	stellar dusty core, impr, substructures
Camargo 987	236.71	-2.31	7:28:10	-22:08:42	4 × 4	EC	
Camargo 988	236.79	-2.25	7:28:34	-22:11:18	4 × 4	EC	
Camargo 989	236.98	-2.69	7:27:19	-22:33:48	9 × 9	EC	
Camargo 990	236.99	-4.16	7:21:40	-23:15:54	7 × 7	EC	
Camargo 991	237.00	-1.84	7:30:33	-22:10:17	10 × 10	EC	dusty core
Camargo 992	237.21	-2.52	7:28:24	-22:40:42	5 × 5	EC	in bubble
Camargo 993	237.22	-2.90	7:26:59	-22:51:56	6 × 6	ECC	
Camargo 994	237.34	-4.96	7:19:16	-23:56:25	5 × 5	EC	
Camargo 995	237.34	-0.46	7:36:29	-21:48:27	6 × 6	EC	impressive core
Camargo 996	237.43	-0.49	7:36:34	-21:53:43	7 × 7	EC	very red core
Camargo 997	237.46	-4.91	7:19:43	-24:01:17	3 × 3	EC	substructure in bubble
Camargo 998	237.50	-4.89	7:19:54	-24:03:07	8 × 8	EC	Sequential star formation? in bubble
Camargo 999	237.52	-4.83	7:20:08	-24:02:24	5 × 5	EC	substructure in bubble
Camargo 1000	237.65	-4.85	7:20:19	-24:09:50	4 × 4	EC	
Camargo 1001	237.73	0.57	7:41:08	-21:38:13	7 × 7	EC	impressive core
Camargo 1002	237.76	-3.27	7:26:41	-23:31:27	5 × 5	ECC	
Camargo 1003	237.82	0.69	7:41:49	-21:39:23	10 × 10	ECC	
Camargo 1004	237.85	-4.61	7:21:41	-24:13:59	12 × 12	OCC	
Camargo 1005	238.25	-1.72	7:33:37	-23:12:57	4 × 4	EC	
Camargo 1006	238.26	-4.04	7:24:43	-24:19:40	7 × 7	EC	
Camargo 1007	238.33	-1.41	7:34:58	-23:07:46	6 × 6	ECC	
Camargo 1008	238.43	-4.12	7:24:44	-24:30:45	7 × 7	EC	in group
Camargo 1009	238.47	-4.17	7:24:40	-24:34:24	4 × 3.5	EC	in group
Camargo 1010	238.54	-4.25	7:24:29	-24:40:29	4 × 4	ECC	in group
Camargo 1011	238.59	-4.20	7:24:47	-24:41:21	4 × 4	EC	in group
Camargo 1012	238.65	-3.84	7:26:17	-24:34:37	4 × 4	EC	
Camargo 1013	238.71	-1.45	7:35:37	-23:29:15	17 × 17	ECC	
Camargo 1014	238.77	-1.46	7:35:43	-23:32:20	7 × 7	EGr	in IR Dark Cloud
Camargo 1015	238.77	-1.81	7:34:23	-23:42:43	6 × 6	EGr	
Camargo 1016	238.80	-1.63	7:35:07	-23:38:56	6 × 6	EC	
Camargo 1017	238.88	-2.13	7:33:22	-23:57:50	6 × 6	EC	impressive shock
Camargo 1018	238.96	-1.68	7:35:15	-23:48:44	5 × 5	EC	inc bubble
Camargo 1019	239.01	0.57	7:43:55	-22:44:39	5 × 5	EC	dusty core

continued on next page. . .

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 1020	239.04	-1.64	7:35:35	-23:52:08	5 × 5	EC	impressive, stellar dusty core
Camargo 1021	239.06	-3.37	7:28:58	-24:42:31	3 × 3	EC	
Camargo 1022	239.10	-4.91	7:23:03	-25:28:10	7 × 7	ECC	inc bubble
Camargo 1023	239.16	-1.93	7:34:45	-24:06:26	6 × 6	EC	loose core
Camargo 1024	239.27	-1.67	7:35:57	-24:04:40	5 × 5	EC	dusty core
Camargo 1025	239.33	-1.70	7:35:58	-24:08:30	5 × 5	EC	impressive, in pair
Camargo 1026	239.35	-5.07	7:22:58	-25:46:05	21 × 21	ECC	include bright IR star
Camargo 1027	239.37	-1.70	7:36:04	-24:10:29	5 × 5	EC	in pair
Camargo 1028	239.54	-4.85	7:24:13	-25:50:02	6 × 6	EC	in dust bubble, small core
Camargo 1029	239.54	-5.23	7:22:43	-26:00:40	6 × 6	EC	impressive, stellar dusty core
Camargo 1030	239.59	-4.90	7:24:06	-25:54:19	2 × 2	EC	substructure in FSR 1297
Camargo 1031	239.62	-4.87	7:24:16	-25:54:48	3 × 3	EC	dusty core, substructure in FSR 1297?
Camargo 1032	239.65	-2.08	7:35:12	-24:36:31	6 × 6	EC	impressive, small stellar core
Camargo 1033	239.83	-6.52	7:18:10	-26:51:22	6 × 6	EC	impressive, stellar dusty core
Camargo 1034	239.93	-5.04	7:24:16	-26:15:59	5 × 5	EC	not FSR 1300
Camargo 1035	240.05	-2.47	7:34:34	-25:09:00	5 × 5	EGr	protocluster?
Camargo 1036	240.32	-1.86	7:37:31	-25:05:07	10 × 10	EC	1 substructure?
Camargo 1037	240.54	-7.24	7:16:45	-27:48:45	3 × 3	ECC	
Camargo 1038	240.75	-1.62	7:39:19	-25:20:39	6 × 6	EC	impressive
Camargo 1039	241.12	-2.19	7:37:57	-25:57:00	6 × 6	OCC	include very bright red star
Camargo 1040	241.12	-4.87	7:27:25	-27:14:05	6 × 6	EC	impressive,little dust
Camargo 1041	243.48	-8.79	7:16:24	-31:06:37	6 × 6	EC	small stellar dusty core
Camargo 1042	244.64	-6.75	7:27:21	-31:12:17	6 × 6	OC	
Camargo 1043	244.92	-7.20	7:26:04	-31:39:24	6 × 6	EC	impressive
Camargo 1044	245.01	-7.56	7:24:46	-31:54:13	4 × 3	EC	
Camargo 1045	246.95	-5.62	7:37:09	-32:41:35	6 × 6	EC	
Camargo 1046	247.06	-7.05	7:31:22	-33:28:25	7 × 7	EC	impressive
Camargo 1047	247.85	-5.77	7:38:36	-33:33:10	6 × 6	EC	in bubble, stellar core
Camargo 1048	247.93	-4.16	7:45:28	-32:50:13	4 × 4	EC	impressive dusty stellar core
Camargo 1049	248.12	-4.83	7:43:08	-33:19:37	13 × 13	OCC	impressive
Camargo 1050	248.13	-5.73	7:39:25	-33:46:47	10 × 10	OCC	bright star at center
Camargo 1051	248.37	-3.67	7:48:32	-32:58:20	4 × 4	EC	dusty core, in group
Camargo 1052	248.54	-3.59	7:49:16	-33:04:37	6 × 6	EC	inc bubble, impressive
Camargo 1053	248.97	-3.59	7:50:19	-33:26:19	5 × 5	EC	in group
Camargo 1054	249.06	-4.34	7:47:24	-33:53:48	5 × 5	EC	impressive, stellar dusty core
Camargo 1055	249.06	-3.56	7:50:40	-33:30:08	5 × 5	EC	in group, include dust structure, impressive
Camargo 1056	249.09	-3.77	7:49:51	-33:38:32	5 × 4	EC	impressive, dusty core, in group
Camargo 1057	249.11	-3.66	7:50:22	-33:35:56	6 × 6	EGr	
Camargo 1058	249.11	-3.87	7:49:29	-33:42:29	6 × 6	EC	impressive
Camargo 1059	249.14	-3.69	7:50:19	-33:38:34	7 × 7	EC	impressive
Camargo 1060	249.17	-5.39	7:43:16	-34:30:49	8 × 8	EC	shock
Camargo 1061	249.17	-4.12	7:48:36	-33:53:05	8 × 8	EC	stellar core
Camargo 1062	249.22	-5.57	7:42:38	-34:38:31	8 × 8	EC	impressive, dusty stellar core
Camargo 1063	249.24	-5.06	7:44:49	-34:24:40	6 × 6	EC	impressive, stellar compact core, shock
Camargo 1064	249.25	-5.81	7:41:39	-34:47:17	7 × 7	EC	include offcenter dust
Camargo 1065	249.25	-3.91	7:49:40	-33:50:58	7 × 7	EC	
Camargo 1066	249.29	-4.71	7:46:27	-34:17:02	2 × 2	OCC	
Camargo 1067	249.32	-5.16	7:44:35	-34:31:52	6 × 6	EGr	shock
Camargo 1068	249.41	-5.29	7:44:17	-34:40:19	5 × 5	EGr	in bubble
Camargo 1069	249.73	-3.58	7:52:11	-34:05:29	3 × 3	ECC	
Camargo 1070	249.96	-3.49	7:53:08	-34:14:42	4 × 4	EC	impressive
Camargo 1071	250.01	-3.34	7:53:53	-34:12:28	6 × 6	EC	dusty core
Camargo 1072	250.05	-3.42	7:53:41	-34:17:09	7 × 7	OCC	loose bright stars
Camargo 1073	250.13	-2.97	7:55:44	-34:07:17	7 × 7	EGr	
Camargo 1074	250.15	46.89	10:39:27	-2:00:39	6 × 6	lPOCR	
Camargo 1075	250.57	-3.43	7:54:55	-34:44:10	5 × 5	EC	stellar dusty core
Camargo 1076	250.69	-3.57	7:54:37	-34:54:44	4 × 4	EC	substructure?
Camargo 1077	250.79	-3.72	7:54:16	-35:04:14	6 × 6	EGr	
Camargo 1078	250.84	-5.41	7:47:12	-35:58:27	3 × 3	EGr	protocluster?
Camargo 1079	250.86	-4.74	7:50:08	-35:39:08	9 × 9	EC	stellar core, prominent
Camargo 1080	250.94	-5.39	7:47:34	-36:02:48	4 × 4	EC	
Camargo 1081	250.98	-3.10	7:57:20	-34:54:48	6 × 6	EC	stellar core, proeminent
Camargo 1082	250.99	-5.24	7:48:17	-36:00:45	7 × 7	EC	stellar core, proeminent
Camargo 1083	251.08	-5.05	7:49:20	-35:59:43	7 × 7	EC	dusty core

continued on next page. . .

Table A1 – Continued

Target	ℓ (°)	b (°)	α(2000) (h m s)	δ(2000) (° ′ ″)	Size (′)	Type	Comments
Camargo 1084	251.08	-4.93	7:49:52	-35:56:19	6×6	EC	stellar core
Camargo 1085	251.12	-5.35	7:48:09	-36:11:01	6×6	EC	
Camargo 1086	252.08	-4.24	7:55:17	-36:26:51	7×7	EC	dusty core
Camargo 1087	252.58	-4.01	7:57:34	-36:45:06	9×9	EC	prominent
Camargo 1088	253.17	-3.54	8:01:08	-37:00:41	2×2	EC	distant?
Camargo 1089	253.39	-4.03	7:59:36	-37:27:09	7×7	EC	small dusty core
Camargo 1090	266.70	0.29	9:00:17	-45:41:38	6×6	EC	dusty core
Camargo 1091	276.82	-8.06	9:02:33	-58:46:34	4×4	ECC	in dust nebula
Camargo 1092	359.39	0.41	17:42:34	-29:14:40	1×1	EC	
Camargo 1093	359.37	6.62	17:19:03	-25:51:48	7×7	EC	impressive bright new IR cluster
Camargo 1094	359.43	-0.09	17:44:37	-29:27:55	2.5×2.5	EC	rel LMR 277
Camargo 1095	359.63	4.38	17:28:00	-26:54:00	3×3	EC	prominent
Camargo 1096	359.86	0.00	17:45:16	-29:03:16	3×3	ECC	
Camargo 1097	359.96	-1.14	17:50:02	-29:33:29	7×7	EC	
Camargo 1098	359.99	0.01	17:45:33	-28:56:13	0.25×0.25	EGr	in small nebula